

| MATERIAL | ZOLL-POS. | 111 BRD | 112 F | 113 I | 114 NL | 115 BE/LUX | 121 OE | 122 GB | 123 DK | 125 S | 127 SF | 145 E | 154 TS | 156 SL | 387 JAP. | DIV. | IMPORT | EXPORT |
|--|--------------------------------------|---------|-------|-------|--------|------------|--------|--------|--------|-------|--------|-------|--------|--------|----------|------|--------|--------|
| ROHEISEN | 7201 | 289 | 0 | 0 | 0 | 0 | 24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 50 | 363 | 0 |
| SCHROTT | 7204 | 10.739 | 972 | 96 | 0 | 0 | 1.896 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 13.703 | 0 |
| ROHSTAHL, BLÖCKE | 7206 | 0 | 0 | 0 | 0 | 0 | 53 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 54 | 0 |
| ROHSTAHL, KNÜPPEL | 7207 | 20 | 0 | 1.155 | 0 | 8 | 0 | 2 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 4 | 1.192 | 0 |
| ROHEISEN, SCHROTT, HALBZEUG | | 11.048 | 972 | 1.252 | 0 | 8 | 1.972 | 2 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 54 | 15.312 | 0 |
| STAHLBLECHE, WARMGEW., ROLLEN, SCHWARZ (>= 600 mm) | 7208 | 169 | 0 | 89 | 41 | 85 | 13 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 400 | 0 |
| SPALTBAND, WARMGEW., ROLLEN, SCHWARZ (< 600 mm) | 7211 | 1.181 | 0 | 641 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1.825 | 0 |
| STAHLBLECHE, WARMGEW., ROLLEN, DEK. (>= 600 mm) | 7208 | 357 | 186 | 687 | 119 | 372 | 95 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1.816 | 0 |
| SPALTBAND, WARMGEW., ROLLEN, DEK. (< 600 mm) | 7211 | 613 | 17 | 181 | 0 | 0 | 201 | 0 | 0 | 0 | 0 | 24 | 0 | 0 | 0 | 25 | 1.060 | 0 |
| STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) | Naturwalzkanten, <= 1250 mm, >= 4 mm | 7208 | 53 | 57 | 36 | 0 | 1 | 0 | 0 | 0 | 23 | 0 | 0 | 27 | 0 | 7 | 204 | 0 |
| STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) | Grobbleche >= 4,75 mm | 7208 | 451 | 21 | 1.044 | 48 | 43 | 91 | 23 | 6 | 59 | 0 | 0 | 1 | 2 | 81 | 1.871 | 0 |
| STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) | Feinbleche < 3 mm | 7208 | 1 | 0 | 0 | 0 | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 21 | 0 |
| STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) | Naturwalzkanten, <= 1250 mm, >= 4 mm | 7208 | 36 | 0 | 235 | 0 | 0 | 19 | 0 | 0 | 17 | 0 | 0 | 10 | 0 | 24 | 340 | 0 |
| STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) | Grobbleche >= 4,75 mm | 7208 | 408 | 82 | 252 | 145 | 25 | 585 | 0 | 0 | 146 | 0 | 0 | 0 | 0 | 81 | 1.725 | 0 |
| STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) | Mittelbleche 3 - < 4,75 mm | 7208 | 14 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 17 | 0 |
| DIV. STAHLBLECHE IN TAFELN + ROLLEN WARMGEW. | | 7208 | 23 | 4 | 24 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 22 | 82 | 0 | 0 | 157 | 0 |
| STAHLBLECHE, KALTGEW., ROLLEN, SCHWARZ (>= 600 mm) | | 7209 | 473 | 0 | 44 | 0 | 436 | 126 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 1.085 | 0 |
| SPALTBAND, KALTGEWALZT, ROLLEN, SCHWARZ (< 600 mm) | | 7211 | 1.721 | 72 | 62 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1.862 | 0 |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) | >= 3 mm dick | 7209 | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 0 |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) | > 1 - < 3mm dick | 7209 | 377 | 0 | 59 | 0 | 57 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 21 | 515 | 0 |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) | >= 0,5 - <= 1 mm dick | 7209 | 15 | 0 | 5 | 12 | 34 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 68 | 0 |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) | < 0,5 mm dick | 7209 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DIVERSE STAHLBLECHE IN TAFELN + ROLLEN, KALTGEWALZT | | 7209 | 1 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 0 |
| STAHLBLECHE, VERZINNT | 7210+7212 | 71 | 0 | 45 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 22 | 0 | 0 | 0 | 373 | 511 | 0 |
| STAHLBLECHE, ELEKTROLYTISCH VERZINKT | 7210+7212 | 397 | 23 | 259 | 7 | 410 | 47 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 20 | 1.163 | 0 |
| STAHLBLECHE, SENDZIMIR-VERZINKT | 7210+7212 | 1.496 | 13 | 449 | 132 | 2.643 | 355 | 0 | 0 | 85 | 0 | 0 | 3 | 0 | 0 | 167 | 5.343 | 0 |
| STAHLBLECHE ÜBERZOGEN (AL) | 7210 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 |
| WELLBLECHE | 7210 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| STAHLBLECHE LACKIERT, BEMALT ODER KUNSTSTOFFBESCHICHTET | 7210+7212 | 245 | 226 | 437 | 290 | 0 | 44 | 43 | 0 | 121 | 0 | 0 | 18 | 0 | 0 | 32 | 1.455 | 0 |
| BREITFLACHSTAHL (< 600 mm breit) | 7211 | 147 | 108 | 55 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 312 | 0 |
| FLACHPRODUKTE | | 8.252 | 816 | 4.623 | 794 | 4.047 | 1.664 | 68 | 6 | 427 | 23 | 46 | 45 | 120 | 0 | 841 | 21.773 | 0 |
| ARMIERUNGSSTAHL IN RINGEN, WILD AUFGEHASPELT | 7213 | 5.041 | 1.261 | 646 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6.949 | 0 |
| WALZDRAHT | 7213 | 1.087 | 212 | 815 | 0 | 0 | 166 | 0 | 0 | 0 | 0 | 176 | 0 | 0 | 0 | 0 | 2.457 | 0 |
| STABSTAHL GESCHMIEDET | 7214 | 46 | 0 | 6 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 197 | 251 | 0 |
| ARMIERUNGSSTAHL IN STANGEN UND KALT UMGEHASPELTEN RINGEN | 7214 | 614 | 0 | 3.114 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 114 | 3.843 | 0 |
| FLACH-, VIERKANT- UND RUNDSTAHL | 7214 | 1.196 | 388 | 728 | 1 | 67 | 20 | 145 | 0 | 0 | 0 | 0 | 8 | 0 | 0 | 347 | 2.899 | 0 |
| STABSTAHL, KALT VERFORMT | 7215 | 215 | 14 | 575 | 0 | 0 | 1 | 0 | 6 | 6 | 0 | 7 | 4 | 0 | 0 | 25 | 853 | 0 |
| U-, COULISSEN-, DOPPELT-T-STAHL, ENGL. TRAEGER 76,4 | 7216 | 2 | 27 | 4 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 35 | 0 |
| WINKELSTAHL < 80 mm BREITE | 7216 | 0 | 80 | 78 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 160 | 0 |
| T-STAHL < 80 mm BREITE | 7216 | 0 | 25 | 23 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 48 | 0 |
| FORMSTAHL UNP, UPE | 7216 | 379 | 11 | 3 | 0 | 9 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 53 | 466 | 0 |
| FORMSTAHL TRÄGER INP, IPE, IPER | 7216 | 315 | 34 | 54 | 0 | 162 | 21 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 33 | 624 | 0 |
| BREITFLANSCHTRÄGER HE | 7216 | 3.132 | 0 | 14 | 0 | 1.345 | 96 | 0 | 0 | 0 | 0 | 58 | 0 | 0 | 0 | 3 | 4.648 | 0 |
| WINKEL- + T-STAHL > 80 mm BREITE | 7216 | 0 | 67 | 144 | 0 | 5 | 12 | 25 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 37 | 293 | 0 |
| Z-STAHL, HANDSCHIENENSTAHL, SCHACHTRAHMENSTAHL | 7213+7214 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 | 0 |
| KALTGEROLLTE PROFILE | 7216 | 334 | 42 | 88 | 0 | 14 | 204 | 0 | 0 | 0 | 0 | 1 | 45 | 41 | 0 | 1 | 770 | 0 |
| ANDERE PROFILE | 7215+7216 | 211 | 38 | 66 | 0 | 26 | 50 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 20 | 414 | 0 |
| SPUNDWÄNDE | 7301 | 0 | 0 | 0 | 24 | 416 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 440 | 0 |
| GESCHWEISSTE PROFILE | 7301 | 35 | 0 | 8 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 46 | 0 |
| SCHIENEN | 7302 | 89 | 2.265 | 0 | 0 | 2 | 1.954 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 47 | 4.357 | 0 |

| | | | | | | | | | | | | | | | | | | | |
|--|-----------|--------|-------|--------|-------|-------|-------|-----|----|-----|-----|-----|-----|-----|-----|--------|---------|---|---|
| LANGPRODUKTE | 12.711 | 4.466 | 6.367 | 25 | 2.046 | 2.536 | 172 | 8 | 6 | 0 | 248 | 62 | 42 | 0 | 879 | 29.567 | 0 | | |
| RÖHREN, SCHWARZ, GESCHWEISST, BIS 100 mm INNEN ø | 7306 | 53 | 0 | 404 | 0 | 0 | 0 | 0 | 0 | 0 | 22 | 0 | 0 | 0 | 38 | 519 | 0 | | |
| RÖHREN, SCHWARZ, GESCHWEISST, >100mm INNEN ø | 7306 | 224 | 0 | 160 | 0 | 6 | 2 | 0 | 0 | 0 | 0 | 48 | 0 | 0 | 24 | 465 | 0 | | |
| RÖHREN, BESCHICHTET, GESCHWEISST, BIS 100 mm INNEN ø | 7306 | 146 | 0 | 548 | 62 | 0 | 2 | 0 | 3 | 0 | 0 | 23 | 0 | 0 | 53 | 838 | 0 | | |
| RÖHREN, BESCHICHTET, GESCHWEISST, >100 mm INNEN ø | 7306 | 73 | 6 | 114 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 37 | 230 | 0 | | |
| RÖHREN, SCHWARZ, NAHTLOS, BIS 100 mm INNEN ø | 7304 | 104 | 2 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 8 | 25 | 11 | 0 | 20 | 174 | 0 | | |
| RÖHREN, SCHWARZ, NAHTLOS, >100 mm INNEN ø | 7304 | 52 | 0 | 101 | 0 | 0 | 1 | 0 | 0 | 0 | 8 | 81 | 0 | 0 | 22 | 265 | 0 | | |
| RÖHREN, BESCHICHTET, NAHTLOS, BIS 100 mm INNEN ø | 7304 | 49 | 0 | 59 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 34 | 145 | 0 | | |
| RÖHREN, BESCHICHTET, NAHTLOS, >100 mm INNEN ø | 7304 | 6 | 4 | 8 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 21 | 0 | | |
| STAHLBAU, HOHLPROFILE | 7304+7306 | 276 | 64 | 1.203 | 49 | 0 | 603 | 183 | 0 | 0 | 6 | 5 | 0 | 0 | 50 | 2.439 | 0 | | |
| RÖHREN / HOHLPROFILE | | 985 | 76 | 2.599 | 111 | 0 | 615 | 185 | 0 | 3 | 0 | 45 | 183 | 12 | 0 | 281 | 5.095 | 0 | |
| STAHLDRAHNETZE | 7314 | 112 | 120 | 185 | 1 | 3 | 2 | 0 | 1 | 56 | 0 | 0 | 1 | 0 | 0 | 26 | 507 | 0 | |
| ROSTFREIER STAHL FLACHPRODUKTE | 7219+7230 | 734 | 269 | 416 | 13 | 436 | 129 | 1 | 1 | 77 | 395 | 104 | 0 | 0 | 103 | 376 | 3.052 | 0 | |
| ROSTFREIER STAHL LANGPRODUKTE | 7222+7223 | 391 | 83 | 356 | 1 | 0 | 69 | 10 | 0 | 26 | 0 | 91 | 1 | 0 | 1 | 333 | 1.362 | 0 | |
| ROSTFREIER STAHL RÖHREN | 7304+7306 | 342 | 13 | 265 | 2 | 3 | 6 | 3 | 1 | 39 | 18 | 15 | 1 | 0 | 1 | 29 | 737 | 0 | |
| ANDERER LEGIERTER STAHL FLACHPRODUKTE | 7225+7226 | 5.989 | 65 | 153 | 144 | 77 | 1.258 | 0 | 6 | 175 | 70 | 4 | 0 | 444 | 232 | 637 | 9.257 | 0 | |
| ANDERER LEGIERTER STAHL LANGPRODUKTE | 7227+7228 | 946 | 16 | 294 | 5 | 0 | 352 | 0 | 0 | 11 | 0 | 63 | 76 | 0 | 0 | 153 | 1.915 | 0 | |
| ANDERER LEGIERTER STAHL RÖHREN | 7304 | 6 | 0 | 1 | 0 | 0 | 21 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 | 41 | 0 | |
| DIVERSE STAHL | | 8.520 | 565 | 1.669 | 166 | 520 | 1.836 | 14 | 8 | 384 | 482 | 278 | 79 | 444 | 337 | 1.568 | 16.870 | 0 | |
| ALUMINIUM (INKL. -LEGIERUNGEN) STÄBE, PROFILE | 7604 | 1.320 | 90 | 278 | 21 | 91 | 424 | 1 | 26 | 13 | 5 | 44 | 27 | 1 | 0 | 545 | 2.886 | 0 | |
| ALUMINIUM (INKL. -LEGIERUNGEN) BLECHE, BÄNDER | 7606 | 905 | 994 | 509 | 66 | 84 | 112 | 30 | 1 | 0 | 0 | 282 | 14 | 351 | 0 | 6.207 | 9.554 | 0 | |
| ALUMINIUM (INKL. -LEGIERUNGEN) FOLIEN | 7607 | 2.769 | 5 | 97 | 87 | 0 | 347 | 0 | 1 | 0 | 0 | 1 | 2 | 0 | 0 | 645 | 3.953 | 0 | |
| ALUMINIUM (INKL. -LEGIERUNGEN) ROHRE | 7608 | 32 | 1 | 23 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 40 | 0 | 0 | 122 | 220 | 0 | |
| ALUMINIUM | | 5.026 | 1.090 | 908 | 174 | 177 | 884 | 32 | 27 | 13 | 5 | 326 | 82 | 352 | 0 | 7.519 | 16.613 | 0 | |
| ROHBLEI | 7801 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 71 | 71 | 0 | |
| BLEI ALS PLATTEN, BLECHE, BÄNDER | 7804 | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 20 | 0 | |
| BLEI | | 19,855 | 0,004 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 70,803 | 90,662 | 0 | |
| GESAMTTOTAL | | 46.562 | 7.984 | 17.418 | 1.270 | 6.798 | 9.507 | 472 | 51 | 834 | 510 | 944 | 451 | 970 | 337 | 11.213 | 105.321 | 0 | |
| ANTEIL IN PROZENT | | 44% | 8% | 17% | 1% | 6% | 9% | 0% | 0% | 1% | 0% | 1% | 0% | 1% | 0% | 11% | | | 0 |

| | | | | | | | | | | | | | | | | | |
|--|--------|-------|--------|-------|-------|-------|-----|----|-----|-----|-----|-----|-----|-----|--------|---------|---|
| ROHEISEN, SCHROTT, HALBZEUG | 11.048 | 972 | 1.252 | 0 | 8 | 1.972 | 2 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 54 | 15.312 | 0 |
| FLACH-, LANGPRODUKTE, RÖHREN / HOHLPROFILE, DIV. STAHL | 30.468 | 5.922 | 15.259 | 1.096 | 6.613 | 6.651 | 438 | 23 | 820 | 505 | 617 | 369 | 619 | 337 | 3.569 | 73.305 | 0 |
| ALUMINIUM | 5.026 | 1.090 | 908 | 174 | 177 | 884 | 32 | 27 | 13 | 5 | 326 | 82 | 352 | 0 | 7.519 | 16.613 | 0 |
| BLEI | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 71 | 91 | 0 |
| GESAMTTOTAL | 46.562 | 7.984 | 17.418 | 1.270 | 6.798 | 9.507 | 472 | 51 | 834 | 510 | 944 | 451 | 970 | 337 | 11.213 | 105.321 | 0 |

IMPORTE SCHWEIZ - SIDERURGISCHE ERZEUGNISSE

| MATERIAL | ZOLL-POS. | Monat | Kumuliert | Vorjahr | | |
|--|--------------------------------------|---------------|---------------|---------------|-------------|-------|
| | | | IMPORT | | | |
| ROHEISEN | 7201 | 363 | 363 | 594 | -39% | |
| SCHROTT | 7204 | 13.703 | 13.703 | 37.443 | -63% | |
| ROHSTAHL, BLÖCKE | 7206 | 54 | 54 | 94 | -43% | |
| ROHSTAHL, KNÜPPEL | 7207 | 1.192 | 1.192 | 554 | 115% | |
| ROHEISEN, SCHROTT, HALBZEUG | | 15.312 | 15.312 | 38.685 | -60% | |
| STAHLBLECHE, WARMGEW., ROLLEN, SCHWARZ (>= 600 mm) | 7208 | 400 | 400 | 1.020 | -61% | |
| SPALTBAND, WARMGEW., ROLLEN, SCHWARZ (< 600 mm) | 7211 | 1.825 | 1.825 | 3.891 | -53% | |
| STAHLBLECHE, WARMGEW., ROLLEN, DEK. (>= 600 mm) | 7208 | 1.816 | 1.816 | 8.436 | -78% | |
| SPALTBAND, WARMGEW., ROLLEN, DEK. (< 600 mm) | 7211 | 1.060 | 1.060 | 3.781 | -72% | |
| STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) | Naturwalzkanten, <= 1250 mm, >= 4 mm | 7208 | 204 | 204 | 1.212 | -83% |
| STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) | Grobbleche >= 4,75 mm | 7208 | 1.871 | 1.871 | 4.707 | -60% |
| STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) | Feinbleche < 3 mm | 7208 | 21 | 21 | 37 | -43% |
| STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) | Naturwalzkanten, <= 1250 mm, >= 4 mm | 7208 | 340 | 340 | 650 | -48% |
| STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) | Grobbleche >= 4,75 mm | 7208 | 1.725 | 1.725 | 2.984 | -42% |
| STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) | Mittelbleche 3 - < 4,75 mm | 7208 | 17 | 17 | 82 | -80% |
| DIV. STAHLBLECHE IN TAFELN + ROLLEN WARMGEW. | | 7208 | 157 | 157 | 297 | -47% |
| STAHLBLECHE, KALTGEW., ROLLEN, SCHWARZ (>= 600 mm) | | 7209 | 1.085 | 1.085 | 5.134 | -79% |
| SPALTBAND, KALTGEWALZT, ROLLEN, SCHWARZ (< 600 mm) | | 7211 | 1.862 | 1.862 | 4.482 | -58% |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) | >= 3 mm dick | 7209 | 10 | 10 | 14 | -28% |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) | > 1 - < 3mm dick | 7209 | 515 | 515 | 1.302 | -60% |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) | >= 0,5 - <= 1 mm dick | 7209 | 68 | 68 | 152 | -55% |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) | < 0,5 mm dick | 7209 | 0 | 0 | 0 | -100% |
| DIVERSE STAHLBLECHE IN TAFELN + ROLLEN, KALTGEWALZT | | 7209 | 6 | 6 | 39 | -86% |
| STAHLBLECHE, VERZINNT | 7210+7212 | 511 | 511 | 1.088 | -53% | |
| STAHLBLECHE, ELEKTROLYTISCH VERZINKT | 7210+7212 | 1.163 | 1.163 | 1.775 | -34% | |
| STAHLBLECHE, SENDZIMIR-VERZINKT | 7210+7212 | 5.343 | 5.343 | 6.243 | -14% | |
| STAHLBLECHE ÜBERZOGEN (AL) | 7210 | 5 | 5 | 178 | -97% | |
| WELLBLECHE | 7210 | 1 | 1 | 1 | 15% | |
| STAHLBLECHE LACKIERT, BEMALT ODER KUNSTSTOFFBESCHICHTET | 7210+7212 | 1.455 | 1.455 | 3.143 | -54% | |
| BREITFLACHSTAHL (< 600 mm breit) | 7211 | 312 | 312 | 221 | 41% | |
| FLACHPRODUKTE | | 21.773 | 21.773 | 50.869 | -57% | |
| ARMIERUNGSSTAHL IN RINGEN, WILD AUFGEHASPELT | 7213 | 6.949 | 6.949 | 4.402 | 58% | |
| WALZDRAHT | 7213 | 2.457 | 2.457 | 3.930 | -37% | |
| STABSTAHL GESCHMIEDET | 7214 | 251 | 251 | 210 | 19% | |
| ARMIERUNGSSTAHL IN STANGEN UND KALT UMGEHASPELTEN RINGEN | 7214 | 3.843 | 3.843 | 25.629 | -85% | |
| FLACH-, VIERKANT- UND RUNDSTAHL | 7214 | 2.899 | 2.899 | 4.471 | -35% | |
| STABSTAHL, KALT VERFORMT | 7215 | 853 | 853 | 2.276 | -63% | |
| U-, COULISSEN-, DOPPELT-T-STAHLE, ENGL. TRAEGER 76,4 | 7216 | 35 | 35 | 71 | -51% | |
| WINKELSTAHL < 80 mm BREITE | 7216 | 160 | 160 | 330 | -52% | |
| T-STAHLE < 80 mm BREITE | 7216 | 48 | 48 | 75 | -36% | |
| FORMSTAHL UNP., UPE | 7216 | 466 | 466 | 820 | -43% | |
| FORMSTAHL TRÄGER INP., IPE, IPER | 7216 | 624 | 624 | 1.781 | -65% | |
| BREITFLANSCHTRÄGER HE | 7216 | 4.648 | 4.648 | 6.724 | -31% | |
| WINKEL- + T-STAHLE > 80 mm BREITE | 7216 | 293 | 293 | 756 | -61% | |
| Z-STAHLE, HANDSCHIENENSTAHL, SCHACHTRAHMENSTAHL | 7213+7214 | 15 | 15 | 16 | -10% | |
| KALTGEROLLTE PROFILE | 7216 | 770 | 770 | 1.302 | -41% | |
| ANDERE PROFILE | 7215+7216 | 414 | 414 | 719 | -42% | |
| SPUNDWÄNDE | 7301 | 440 | 440 | 1.262 | -65% | |
| GESCHWEISSTE PROFILE | 7301 | 46 | 46 | 52 | -11% | |
| SCHIENEN | 7302 | 4.357 | 4.357 | 5.036 | -13% | |

| Monat | Kumuliert | Vorjahr | |
|--------|-----------|---------|---------|
| EXPORT | | | |
| 0 | 0 | 0 | -100% |
| 0 | 0 | 42.206 | -100% |
| 0 | 0 | 0 | -100% |
| 0 | 0 | 11.491 | -100% |
| 0 | 0 | 53.697 | -100% |
| 0 | 0 | 1 | -100% |
| 0 | 0 | 1 | -100% |
| 0 | 0 | 0 | #DIV/0! |
| 0 | 0 | 267 | -100% |
| 0 | 0 | 14 | -100% |
| 0 | 0 | 40 | -100% |
| 0 | 0 | 3 | -100% |
| 0 | 0 | 12 | -100% |
| 0 | 0 | 373 | -100% |
| 0 | 0 | 0 | -100% |
| 0 | 0 | 51 | -100% |
| 0 | 0 | 0 | -100% |
| 0 | 0 | 280 | -100% |
| 0 | 0 | 0 | #DIV/0! |
| 0 | 0 | 31 | -100% |
| 0 | 0 | 3 | -100% |
| 0 | 0 | 0 | #DIV/0! |
| 0 | 0 | 1 | -100% |
| 0 | 0 | 47 | -100% |
| 0 | 0 | 53 | -100% |
| 0 | 0 | 137 | -100% |
| 0 | 0 | 0 | #DIV/0! |
| 0 | 0 | 0 | -100% |
| 0 | 0 | 281 | -100% |
| 0 | 0 | 3.584 | -100% |
| 0 | 0 | 5.178 | -100% |
| 0 | 0 | 9.698 | -100% |
| 0 | 0 | 15.080 | -100% |
| 0 | 0 | 26 | -100% |
| 0 | 0 | 53 | -100% |
| 0 | 0 | 12.659 | -100% |
| 0 | 0 | 4.814 | -100% |
| 0 | 0 | 9 | -100% |
| 0 | 0 | 1 | -100% |
| 0 | 0 | 0 | #DIV/0! |
| 0 | 0 | 4 | -100% |
| 0 | 0 | 32 | -100% |
| 0 | 0 | 465 | -100% |
| 0 | 0 | 84 | -100% |
| 0 | 0 | 36 | -100% |
| 0 | 0 | 1.767 | -100% |
| 0 | 0 | 622 | -100% |
| 0 | 0 | 42 | -100% |
| 0 | 0 | 290 | -100% |
| 0 | 0 | 47 | -100% |

| | | | | | |
|--|-----------|---------|---------|--------|------|
| LANGPRODUKTE | 29.567 | 29.567 | 59.861 | -51% | |
| RÖHREN, SCHWARZ, GESCHWEISST, BIS 100 mm INNEN ø | 7306 | 519 | 519 | 1.084 | -52% |
| RÖHREN, SCHWARZ, GESCHWEISST, >100mm INNEN ø | 7306 | 465 | 465 | 496 | -6% |
| RÖHREN, BESCHICHTET, GESCHWEISST, BIS 100 mm INNEN ø | 7306 | 838 | 838 | 1.221 | -31% |
| RÖHREN, BESCHICHTET, GESCHWEISST, >100 mm INNEN ø | 7306 | 230 | 230 | 436 | -47% |
| RÖHREN, SCHWARZ, NAHTLOS, BIS 100 mm INNEN ø | 7304 | 174 | 174 | 402 | -57% |
| RÖHREN, SCHWARZ, NAHTLOS, >100 mm INNEN ø | 7304 | 265 | 265 | 555 | -52% |
| RÖHREN, BESCHICHTET, NAHTLOS, BIS 100 mm INNEN ø | 7304 | 145 | 145 | 164 | -11% |
| RÖHREN, BESCHICHTET, NAHTLOS, >100 mm INNEN ø | 7304 | 21 | 21 | 137 | -85% |
| STAHLBAU, HOHLPROFILE | 7304+7306 | 2.439 | 2.439 | 7.313 | -67% |
| RÖHREN / HOHLPROFILE | 5.095 | 5.095 | 11.808 | -57% | |
| STAHLDRAHNETZE | 7314 | 507 | 507 | 1.318 | -62% |
| ROSTFREIER STAHL FLACHPRODUKTE | 7219+7220 | 3.052 | 3.052 | 8.796 | -65% |
| ROSTFREIER STAHL LANGPRODUKTE | 7222+7223 | 1.362 | 1.362 | 2.146 | -37% |
| ROSTFREIER STAHL RÖHREN | 7304+7306 | 737 | 737 | 1.831 | -60% |
| ANDERER LEGIERTER STAHL FLACHPRODUKTE | 7225+7226 | 9.257 | 9.257 | 16.996 | -46% |
| ANDERER LEGIERTER STAHL LANGPRODUKTE | 7227+7228 | 1.915 | 1.915 | 3.258 | -41% |
| ANDERER LEGIERTER STAHL RÖHREN | 7304 | 41 | 41 | 66 | -38% |
| DIVERSER STAHL | 16.870 | 16.870 | 34.410 | -51% | |
| ALUMINIUM (INKL. -LEGIERUNGEN) STÄBE, PROFILE | 7604 | 2.886 | 2.886 | 3.975 | -27% |
| ALUMINIUM (INKL. -LEGIERUNGEN) BLECHE, BÄNDER | 7606 | 9.554 | 9.554 | 11.647 | -18% |
| ALUMINIUM (INKL. -LEGIERUNGEN) FOLIEN | 7607 | 3.953 | 3.953 | 4.618 | -14% |
| ALUMINIUM (INKL. -LEGIERUNGEN) ROHRE | 7608 | 220 | 220 | 283 | -22% |
| ALUMINIUM | 16.613 | 16.613 | 20.523 | -19% | |
| ROHBLEI | 7801 | 71 | 71 | 184 | -61% |
| BLEI ALS PLATTEN, BLECHE, BÄNDER | 7804 | 20 | 20 | 49 | -60% |
| BLEI | 90,662 | 90,662 | 232,668 | -61% | |
| GESAMTTOTAL | 105.321 | 105.321 | 216.389 | -51% | |
| ANTEIL IN PROZENT | 0% | 0% | 0% | | |

| | | | |
|----|----|---------|---------|
| 0 | 0 | 45.729 | -100% |
| 0 | 0 | 9.807 | -100% |
| 0 | 0 | 199 | -100% |
| 0 | 0 | 544 | -100% |
| 0 | 0 | 2 | -100% |
| 0 | 0 | 43 | -100% |
| 0 | 0 | 16 | -100% |
| 0 | 0 | 7 | -100% |
| 0 | 0 | 0 | #DIV/0! |
| 0 | 0 | 7.316 | -100% |
| 0 | 0 | 17.935 | -100% |
| 0 | 0 | 6 | -100% |
| 0 | 0 | 572 | -100% |
| 0 | 0 | 2.042 | -100% |
| 0 | 0 | 2.194 | -100% |
| 0 | 0 | 719 | -100% |
| 0 | 0 | 9.234 | -100% |
| 0 | 0 | 1 | -100% |
| 0 | 0 | 14.767 | -100% |
| 0 | 0 | 3.925 | -100% |
| 0 | 0 | 18.331 | -100% |
| 0 | 0 | 2.130 | -100% |
| 0 | 0 | 354 | -100% |
| 0 | 0 | 24.741 | -100% |
| 0 | 0 | 0 | -100% |
| 0 | 0 | 1 | -100% |
| 0 | 0 | 1.143 | -100% |
| 0 | 0 | 162.048 | -100% |
| 0% | 0% | 0% | |

| | | | | |
|--|---------|---------|---------|------|
| ROHEISEN, SCHROTT, HALBZEUG | 15.312 | 15.312 | 38.685 | -60% |
| FLACH-, LANGPRODUKTE, RÖHREN / HOHLPROFILE, DIV. STAHL | 73.305 | 73.305 | 156.948 | -53% |
| ALUMINIUM | 16.613 | 16.613 | 20.523 | -19% |
| BLEI | 91 | 91 | 233 | -61% |
| GESAMTTOTAL | 105.321 | 105.321 | 216.389 | -51% |

| | | | |
|---|---|---------|-------|
| 0 | 0 | 53.697 | -100% |
| 0 | 0 | 83.609 | -100% |
| 0 | 0 | 24.741 | -100% |
| 0 | 0 | 1 | -100% |
| 0 | 0 | 162.048 | -100% |