

MATERIAL	ZOLL-POS.	111 BRD	112 F	113 I	114 NL	115 BE/LUX	121 OE	122 GB	123 DK	125 S	127 SF	145 E	154 TS	156 SL	387 JAP.	DIV.	IMPORT	EXPORT
ROHEISEN	7201	753	0	0	0	0	0	0	0	0	0	0	0	0	0	149	902	1
SCHROTT	7204	17'142	12'723	51	0	0	3'349	0	0	0	0	0	0	0	0	0	33'265	53'733
ROHSTAHL, BLÖCKE	7206	12	0	59	0	0	9	0	0	0	0	0	0	0	1	0	81	0
ROHSTAHL, KNÜPPEL	7207	115	0	2'979	1	0	0	18	0	0	0	1	0	0	0	16	3'130	2'325
ROHEISEN, SCHROTT, HALBZEUG		18'023	12'723	3'089	1	0	3'357	18	0	0	0	1	0	0	1	164	37'378	56'059
STAHLBLECHE, WARMGEW., ROLLEN, SCHWARZ (>= 600 mm)	7208	364	14	71	0	249	185	0	0	0	0	0	0	0	11	0	894	45
SPALTBAND, WARMGEW., ROLLEN, SCHWARZ (< 600 mm)	7211	1'647	0	491	0	0	1'082	0	0	0	0	0	2	0	0	0	3'222	1
STAHLBLECHE, WARMGEW., ROLLEN, DEK. (>= 600 mm)	7208	680	923	138	198	603	989	0	0	0	0	0	0	0	0	24	3'555	0
SPALTBAND, WARMGEW., ROLLEN, DEK. (< 600 mm)	7211	1'193	0	429	0	21	386	0	0	0	0	40	0	0	0	52	2'121	4
STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm)		210	5	67	10	23	0	0	0	0	59	0	0	38	0	10	422	84
STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm)		487	220	1'848	24	56	221	0	3	244	68	0	5	2	45	419	3'642	79
STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm)		2	0	3	0	0	0	0	0	0	0	0	0	0	0	0	4	41
STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm)		68	6	266	33	0	8	0	0	0	0	0	0	22	28	17	448	1
STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm)		767	156	890	214	94	404	0	0	112	48	0	0	0	0	93	2'778	311
STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm)		30	0	17	0	0	0	0	0	0	0	0	0	0	0	0	47	20
DIV. STAHLBLECHE IN TAFELN + ROLLEN WARMGEW.	7208	12	1	10	24	0	2	1	0	0	0	0	89	37	0	0	175	27
STAHLBLECHE, KALTGEW., ROLLEN, SCHWARZ (>= 600 mm)	7209	964	0	35	0	1'901	1'430	0	0	0	0	0	0	0	0	0	4'330	1
SPALTBAND, KALTGEWALT, ROLLEN, SCHWARZ (< 600 mm)	7211	2'674	76	153	0	0	17	0	0	0	0	0	1	1	0	0	2'922	397
STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm)	7209	0	0	16	0	0	0	0	0	0	0	0	0	0	0	0	16	0
STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm)	7209	707	0	406	0	63	114	0	1	0	0	0	0	65	0	6	1'363	39
STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm)	7209	78	0	60	0	0	17	0	0	0	0	0	0	0	0	1	155	1
STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm)	7209	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DIVERSE STAHLBLECHE IN TAFELN + ROLLEN, KALTGEWALT	7209	21	39	3	0	0	0	0	0	0	0	0	0	0	0	1	64	0
STAHLBLECHE, VERZINNT	7210+7212	641	0	0	262	56	0	0	0	0	0	113	0	0	0	58	1'131	193
STAHLBLECHE, ELEKTROLYTISCH VERZINKT	7210+7212	418	0	140	15	297	202	0	0	0	0	0	0	0	0	0	1'072	97
STAHLBLECHE, SENDZIMIR-VERZINKT	7210+7212	2'819	79	1'090	142	1'913	980	42	0	55	0	0	0	0	0	117	7'237	53
STAHLBLECHE ÜBERZOGEN (AL)	7210	28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	28	0
WELLBLECHE	7210	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
STAHLBLECHE LACKIERT, BEMALT ODER KUNSTSTOFFBESCHICHTET	7210+7212	185	175	775	633	38	104	58	0	107	1	79	0	0	0	91	2'246	533
BREITFLACHSTAHL (< 600 mm breit)	7211	93	88	79	0	1	3	22	0	0	0	0	0	0	0	0	286	4'723
FLACHPRODUKTE		14'087	1'783	6'986	1'555	5'316	6'144	122	4	518	176	233	96	164	84	890	38'159	6'650
ARMIERUNGSSTAHL IN RINGEN, WILD AUFGEHASPELT	7213	7'732	7'858	1'072	0	0	0	0	0	0	0	0	0	0	0	0	16'663	1'813
WALZDRAHT	7213	3'177	839	232	0	0	33	0	0	0	0	45	0	0	0	0	4'326	12'565
STABSTAHL GESCHMIEDET	7214	3	0	3	0	0	48	0	0	0	0	0	6	0	0	64	123	1
ARMIERUNGSSTAHL IN STANGEN UND KALT UMGEHASPELTEN RINGEN	7214	2'360	173	6'407	0	0	13	0	0	0	0	0	23	0	0	187	9'163	20
FLACH-, VIERKANT- UND RUNDSTAHL	7214	713	385	818	0	30	36	143	1	0	0	288	113	0	0	375	2'902	7'994
STABSTAHL, KALT VERFORMT	7215	357	51	885	0	0	11	22	12	11	0	75	67	0	0	48	1'540	3'606
U-, COULISSEN-, DOPPELT-T-STAHLE, ENGL. TRAEGER 76,4	7216	2	7	15	1	0	0	0	11	0	0	0	0	0	0	0	35	1
WINKELSTAHL < 80 mm BREITE	7216	16	70	99	0	3	2	5	0	0	0	0	0	0	0	4	199	4
T-STAHLE < 80 mm BREITE	7216	36	29	11	0	0	0	0	0	0	0	0	0	0	0	0	77	1
FORMSTAHL UNP, UPE	7216	290	0	35	0	9	26	0	0	0	0	53	0	0	0	141	555	117
FORMSTAHL TRÄGER INP, IPE, IPER	7216	273	29	100	0	388	35	0	0	0	0	114	0	0	0	30	969	72
BREITFLANSCHTRÄGER HE	7216	2'877	51	408	0	2'244	65	0	0	0	0	155	0	0	0	27	5'827	1'807
WINKEL- + T-STAHLE > 80 mm BREITE	7216	2	57	167	0	30	13	30	0	0	0	3	24	0	0	45	371	773
Z-STAHLE, HANDSCHIENENSTAHL, SCHACHTRAHMENSTAHL	7213+7214	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	3	0
KALTGEROLLTE PROFILE	7216	429	0	131	36	2	137	2	0	0	1	0	186	81	0	48	1'052	1'559
ANDERE PROFILE	7215+7216	144	112	44	0	60	101	0	50	0	0	43	0	1	0	4	559	68
SPUNDWÄNDE	7301	148	0	1	0	188	0	0	0	0	0	0	0	0	0	0	337	0
GESCHWEISSTE PROFILE	7301	6	0	7	0	0	0	0	0	0	0	0	0	0	0	2	15	308
SCHIENEN	7302	6	2'023	0	0	0	584	0	0	0	0	0	0	0	0	0	2'613	37

LANGPRODUKTE	18'572	11'684	10'435	38	2'954	1'103	202	74	11	1	776	420	82	0	978	47'327	30'744	
RÖHREN, SCHWARZ, GESCHWEISST, BIS 100 mm INNEN ø	7306	71	0	307	0	0	10	0	0	0	60	23	0	0	179	652	4'227	
RÖHREN, SCHWARZ, GESCHWEISST, >100mm INNEN ø	7306	215	1	238	73	0	0	0	2	0	0	0	0	0	19	548	218	
RÖHREN, BESCHICHTET, GESCHWEISST, BIS 100 mm INNEN ø	7306	136	0	908	89	0	16	0	0	0	0	95	0	1	215	1'460	3	
RÖHREN, BESCHICHTET, GESCHWEISST, >100 mm INNEN ø	7306	232	0	156	0	0	11	0	0	0	12	0	0	0	45	466	3	
RÖHREN, SCHWARZ, NAHTLOS, BIS 100 mm INNEN ø	7304	166	0	76	1	0	5	0	0	0	8	23	5	0	5	289	36	
RÖHREN, SCHWARZ, NAHTLOS, >100 mm INNEN ø	7304	91	1	25	0	0	3	0	0	1	4	13	1	0	66	204	24	
RÖHREN, BESCHICHTET, NAHTLOS, BIS 100 mm INNEN ø	7304	59	0	122	0	0	4	0	2	0	0	47	0	0	22	257	14	
RÖHREN, BESCHICHTET, NAHTLOS, >100 mm INNEN ø	7304	25	0	102	0	0	1	0	0	0	0	0	0	0	11	140	1	
STAHLBAU, HOHLPROFILE	7304+7306	661	80	1'933	24	29	650	233	0	0	7	25	27	0	110	3'778	1'408	
RÖHREN / HOHLPROFILE		1'656	82	3'867	187	29	699	233	11	4	8	109	229	7	1	673	7'794	5'933
STAHLDRAHNETZE	7314	402	126	402	3	6	1	0	2	17	0	0	0	2	0	24	986	542
ROSTFREIER STAHL FLACHPRODUKTE	7219+7220	1'562	805	1'095	73	615	140	15	9	135	982	15	0	0	55	921	6'423	232
ROSTFREIER STAHL LANGPRODUKTE	7222+7223	706	153	644	1	5	145	11	28	133	2	165	7	0	0	402	2'401	2'548
ROSTFREIER STAHL RÖHREN	7304+7306	487	13	785	6	2	49	3	1	70	140	16	12	0	112	1'696	3'338	
ANDERER LEGIERTER STAHL FLACHPRODUKTE	7225+7226	7'042	469	156	281	919	3'293	0	91	249	54	15	23	506	69	2'538	15'705	904
ANDERER LEGIERTER STAHL LANGPRODUKTE	7227+7228	1'122	59	325	0	20	411	0	0	38	0	33	235	0	0	673	2'917	8'623
ANDERER LEGIERTER STAHL RÖHREN	7304	79	0	3	1	0	0	0	0	0	0	0	0	0	0	84	167	5
DIVERSE STAHL		11'400	1'626	3'410	365	1'566	4'040	29	131	642	1'179	245	278	508	124	4'754	30'295	16'191
ALUMINIUM (INKL. -LEGIERUNGEN) STÄBE, PROFILE	7604	1'911	93	654	93	72	407	4	12	6	45	29	286	8	0	1'499	5'120	3'086
ALUMINIUM (INKL. -LEGIERUNGEN) BLECHE, BÄNDER	7606	1'990	1'424	851	99	104	163	13	10	0	2	461	34	686	0	5'954	11'791	20'861
ALUMINIUM (INKL. -LEGIERUNGEN) FOLIEN	7607	3'714	25	317	168	27	267	1	6	0	0	75	1	0	0	1'299	5'900	1'820
ALUMINIUM (INKL. -LEGIERUNGEN) ROHRE	7608	61	4	76	0	1	2	0	11	0	0	0	23	0	0	118	296	247
ALUMINIUM		7'677	1'546	1'899	361	204	838	18	39	7	46	565	342	694	0	8'870	23'107	26'014
ROHBLEI	7801	6	2	0	0	24	0	0	0	0	0	2	0	0	0	0	33	4
BLEI ALS PLATTEN, BLECHE, BÄNDER	7804	30	0	0	0	0	0	0	0	0	0	0	0	0	0	1	31	4
BLEI		36.333	1.5	0	0	23.997	0	0	0	0	0	1.5	0	0	0	0.754	64.084	7.548
GESAMTTOTAL		71'451	29'446	29'687	2'506	10'093	16'182	622	258	1'181	1'410	1'930	1'365	1'453	211	16'329	184'124	141'599
ANTEIL IN PROZENT		39%	16%	16%	1%	5%	9%	0%	0%	1%	1%	1%	1%	1%	0%	9%		

ROHEISEN, SCHROTT, HALBZEUG	18'023	12'723	3'089	1	0	3'357	18	0	0	0	1	0	0	1	164	37'378	56'059
FLACH-, LANGPRODUKTE, RÖHREN / HOHLPROFILE, DIV. STAHL	45'715	15'175	24'698	2'145	9'864	11'987	585	219	1'175	1'364	1'362	1'023	760	210	7'294	123'575	59'519
ALUMINIUM	7'677	1'546	1'899	361	204	838	18	39	7	46	565	342	694	0	8'870	23'107	26'014
BLEI	36	2	0	0	24	0	0	0	0	0	2	0	0	0	1	64	8
GESAMTTOTAL	71'451	29'446	29'687	2'506	10'093	16'182	622	258	1'181	1'410	1'930	1'365	1'453	211	16'329	184'124	141'599

IMPORTE SCHWEIZ - SIDERURGISCHE ERZEUGNISSE

MATERIAL	ZOLL-POS.	Monat	Kumuliert IMPORT	Vorjahr		
ROHEISEN	7201	902	902	0	#DIV/0!	
SCHROTT	7204	33'265	33'265	241	13693%	
ROHSTAHL, BLÖCKE	7206	81	81	0	24348%	
ROHSTAHL, KNÜPPEL	7207	3'130	3'130	0	1565061%	
ROHEISEN, SCHROTT, HALBZEUG		37'378	37'378	242	15365%	
STAHLBLECHE, WARMGEW., ROLLEN, SCHWARZ (>= 600 mm)	7208	894	894	9'523	-91%	
SPALTBAND, WARMGEW., ROLLEN, SCHWARZ (< 600 mm)	7211	3'222	3'222	2'865	12%	
STAHLBLECHE, WARMGEW., ROLLEN, DEK. (>= 600 mm)	7208	3'555	3'555	74	4673%	
SPALTBAND, WARMGEW., ROLLEN, DEK. (< 600 mm)	7211	2'121	2'121	4'526	-53%	
STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm)	Naturwulzkanten, <= 1250 mm, >= 4 mm	7208	422	422	6'399	-93%
STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm)	Grobbleche >= 4,75 mm	7208	3'642	3'642	541	573%
STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm)	Feinbleche < 3 mm	7208	4	4	6'224	-100%
STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm)	Naturwulzkanten, <= 1250 mm, >= 4 mm	7208	448	448	3'388	-87%
STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm)	Grobbleche >= 4,75 mm	7208	2'778	2'778	2'574	8%
STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm)	Mittelbleche 3 - < 4,75 mm	7208	47	47	126	-63%
DIV. STAHLBLECHE IN TAFELN + ROLLEN WARMGEW.	7208	175	175	126	39%	
STAHLBLECHE, KALTGEW., ROLLEN, SCHWARZ (>= 600 mm)	7209	4'330	4'330	4'344	0%	
SPALTBAND, KALTGEWALZT, ROLLEN, SCHWARZ (< 600 mm)	7211	2'922	2'922	376	678%	
STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm)	>= 3 mm dick	7209	16	16	369	-96%
STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm)	> 1 - < 3mm dick	7209	1'363	1'363	0	#DIV/0!
STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm)	>= 0,5 - <= 1 mm dick	7209	155	155	105	48%
STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm)	< 0,5 mm dick	7209	0	0	14'251	-100%
DIVERSE STAHLBLECHE IN TAFELN + ROLLEN, KALTGEWALZT	7209	64	64	50	29%	
STAHLBLECHE, VERZINNT	7210+7212	1'131	1'131	3'510	-68%	
STAHLBLECHE, ELEKTROLYTISCH VERZINKT	7210+7212	1'072	1'072	10'224	-90%	
STAHLBLECHE, SENDZIMIR-VERZINKT	7210+7212	7'237	7'237	172	4108%	
STAHLBLECHE ÜBERZOGEN (AL)	7210	28	28	2'057	-99%	
WELLBLECHE	7210	1	1	2	-50%	
STAHLBLECHE LACKIERT, BEMALT ODER KUNSTSTOFFBESCHICHTET	7210+7212	2'246	2'246	11'964	-81%	
BREITFLACHSTAHL (< 600 mm breit)	7211	286	286	4'269	-93%	
FLACHPRODUKTE		38'159	38'159	88'059	-57%	
ARMIERUNGSSTAHL IN RINGEN, WILD AUFGEHASPELT	7213	16'663	16'663	726	2195%	
WALZDRAHT	7213	4'326	4'326	651	564%	
STABSTAHL GESCHMIEDET	7214	123	123	585	-79%	
ARMIERUNGSSTAHL IN STANGEN UND KALT UMGEHASPELTEN RINGEN	7214	9'163	9'163	549	1570%	
FLACH-, VIERKANT- UND RUNDSTAHL	7214	2'902	2'902	1'776	63%	
STABSTAHL, KALT VERFORMT	7215	1'540	1'540	15'370	-90%	
U-, COULISSEN-, DOPPELT-T-STAHL, ENGL. TRAEGER 76,4	7216	35	35	155	-77%	
WINKELSTAHL < 80 mm BREITE	7216	199	199	60	229%	
T-STAHL < 80 mm BREITE	7216	77	77	768	-90%	
FORMSTAHL UNP, UPE	7216	555	555	859	-35%	
FORMSTAHL TRÄGER INP, IPE, IPER	7216	969	969	6'928	-86%	
BREITFLANSCHTRÄGER HE	7216	5'827	5'827	381	1428%	
WINKEL- + T-STAHL > 80 mm BREITE	7216	371	371	117	216%	
Z-STAHL, HANDSCHIENENSTAHL, SCHACHTRAHMENSTAHL	7213+7214	3	3	3'647	-100%	
KALTGEROLLTE PROFILE	7216	1'052	1'052	400	163%	
ANDERE PROFILE	7215+7216	559	559	37'577	-99%	
SPUNDWÄNDE	7301	337	337	5'329	-94%	
GESCHWEISSTE PROFILE	7301	15	15	3'440	-100%	
SCHIENEN	7302	2'613	2'613	101	2491%	

Monat	Kumuliert EXPORT	Vorjahr	
1	1	2	-61%
53'733	53'733	5'916	808%
0	0	0	-64%
2'325	2'325	0	#DIV/0!
56'059	56'059	5'919	847%
45	45	27	67%
1	1	362	-100%
0	0	0	#DIV/0!
4	4	382	-99%
84	84	263	-68%
79	79	3	2933%
41	41	56	-27%
1	1	63	-99%
311	311	108	188%
20	20	0	#DIV/0!
27	27	0	#DIV/0!
1	1	45	-97%
397	397	27	1358%
0	0	10	-100%
39	39	0	#DIV/0!
1	1	0	1233%
0	0	488	-100%
0	0	0	-85%
193	193	110	74%
97	97	99	-3%
53	53	190	-72%
0	0	364	-100%
0	0	0	#DIV/0!
533	533	2'596	-79%
4'723	4'723	64	7283%
6'650	6'650	5'258	26%
1'813	1'813	15'411	-88%
12'565	12'565	1'764	612%
1	1	0	#DIV/0!
20	20	8'725	-100%
7'994	7'994	8'572	-7%
3'606	3'606	6'350	-43%
1	1	2	-73%
4	4	1	263%
1	1	17	-96%
117	117	179	-35%
72	72	2'966	-98%
1'807	1'807	350	416%
773	773	362	114%
0	0	6'612	-100%
1'559	1'559	108	1341%
68	68	98	-30%
0	0	250	-100%
308	308	10	2889%
37	37	24	56%

LANGPRODUKTE		47'327	47'327	79'420	-40%
RÖHREN, SCHWARZ, GESCHWEISST, BIS 100 mm INNEN ø	7306	652	652	34	1790%
RÖHREN, SCHWARZ, GESCHWEISST, >100mm INNEN ø	7306	548	548	1'222	-55%
RÖHREN, BESCHICHTET, GESCHWEISST, BIS 100 mm INNEN ø	7306	1'460	1'460	416	251%
RÖHREN, BESCHICHTET, GESCHWEISST, >100 mm INNEN ø	7306	466	466	41	1032%
RÖHREN, SCHWARZ, NAHTLOS, BIS 100 mm INNEN ø	7304	289	289	47	519%
RÖHREN, SCHWARZ, NAHTLOS, >100 mm INNEN ø	7304	204	204	822	-75%
RÖHREN, BESCHICHTET, NAHTLOS, BIS 100 mm INNEN ø	7304	257	257	210	23%
RÖHREN, BESCHICHTET, NAHTLOS, >100 mm INNEN ø	7304	140	140	187	-25%
STAHLBAU, HOHLPROFILE	7304+7306	3'778	3'778	755	400%
RÖHREN / HOHLPROFILE		7'794	7'794	3'735	109%
STAHLDRAHNETZE	7314	986	986	312	216%
ROSTFREIER STAHL FLACHPRODUKTE	7219+7230	6'423	6'423	11'693	-45%
ROSTFREIER STAHL LANGPRODUKTE	7222+7223	2'401	2'401	4'789	-50%
ROSTFREIER STAHL RÖHREN	7304+7306	1'696	1'696	970	75%
ANDERER LEGIERTER STAHL FLACHPRODUKTE	7225+7226	15'705	15'705	31'375	-50%
ANDERER LEGIERTER STAHL LANGPRODUKTE	7227+7228	2'917	2'917	1'959	49%
ANDERER LEGIERTER STAHL RÖHREN	7304	167	167	59	185%
DIVERSER STAHL		30'295	30'295	51'155	-41%
ALUMINIUM (INKL. -LEGIERUNGEN) STÄBE, PROFILE	7604	5'120	5'120	3'904	31%
ALUMINIUM (INKL. -LEGIERUNGEN) BLECHE, BÄNDER	7606	11'791	11'791	10'982	7%
ALUMINIUM (INKL. -LEGIERUNGEN) FOLIEN	7607	5'900	5'900	1'394	323%
ALUMINIUM (INKL. -LEGIERUNGEN) ROHRE	7608	296	296	33	809%
ALUMINIUM		23'107	23'107	16'312	42%
ROHBLEI	7801	33	33	0	143643%
BLEI ALS PLATTEN, BLECHE, BÄNDER	7804	31	31	155	-80%
BLEI		64.084	64.084	155.105	-59%
GESAMTTOTAL		184'124	184'124	239'079	-23%
ANTEIL IN PROZENT		0%	0%	0%	

	30'744	30'744	51'801	-41%
	4'227	4'227	1	399046%
	218	218	267	-18%
	3	3	239	-99%
	3	3	5	-41%
	36	36	17	115%
	24	24	64	-63%
	14	14	21	-33%
	1	1	10	-89%
	1'408	1'408	852	65%
	5'933	5'933	1'476	302%
	542	542	167	226%
	232	232	717	-68%
	2'548	2'548	3'674	-31%
	3'338	3'338	27	12100%
	904	904	7'996	-89%
	8'623	8'623	5'107	69%
	5	5	2	133%
	16'191	16'191	17'689	-8%
	3'086	3'086	2'029	52%
	20'861	20'861	1'823	1044%
	1'820	1'820	1'264	44%
	247	247	11	2231%
	26'014	26'014	5'127	407%
	4	4	819	-100%
	4	4	0	1011%
	7.548	7.548	819.838	-99%
	141'599	141'599	88'089	61%
	0%	0%	0%	

ROHEISEN, SCHROTT, HALBZEUG		37'378	37'378	242	15365%
FLACH-, LANGPRODUKTE, RÖHREN / HOHLPROFILE, DIV. STAHL		123'575	123'575	222'370	-44%
ALUMINIUM		23'107	23'107	16'312	42%
BLEI		64	64	155	-59%
GESAMTTOTAL		184'124	184'124	239'079	-23%

	56'059	56'059	5'919	847%
	59'519	59'519	76'224	-22%
	26'014	26'014	5'127	407%
	8	8	820	-99%
	141'599	141'599	88'089	61%