

MATERIAL	ZOLL-POS.	111 BRD	112 F	113 I	114 NL	115 BE/LUX	121 OE	122 GB	123 DK	125 S	127 SF	145 E	154 TS	156 SL	387 JAP.	DIV.	IMPORT	EXPORT
ROHEISEN	7201	413	1	0	0	0	50	0	0	0	0	0	0	0	0	198	662	2
SCHROTT	7204	24'952	10'752	2	0	49	6'973	0	0	0	0	0	0	0	0	0	42'728	49'060
ROHSTAHL, BLÖCKE	7206	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ROHSTAHL, KNÜPPEL	7207	177	0	1'061	0	0	0	17	0	0	0	2	26	0	0	3	1'286	10'420
ROHEISEN, SCHROTT, HALBZEUG		25'542	10'753	1'063	0	49	7'023	17	0	0	0	2	26	0	0	201	44'676	59'483
STAHLBLECHE, WARMGEW., ROLLEN, SCHWARZ (>= 600 mm)	7208	482	45	105	38	325	0	0	0	0	0	0	0	0	0	0	0	995
SPALTBAND, WARMGEW., ROLLEN, SCHWARZ (< 600 mm)	7211	2'717	0	114	0	0	704	0	0	0	0	0	1	0	0	13	3'548	0
STAHLBLECHE, WARMGEW., ROLLEN, DEK. (>= 600 mm)	7208	1'058	1'365	0	453	829	960	0	0	0	1	0	0	0	0	0	5'178	0
SPALTBAND, WARMGEW., ROLLEN, DEK. (< 600 mm)	7211	2'095	26	681	0	0	486	0	0	0	0	207	1	0	0	51	3'547	91
STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm)		198	5	193	19	25	0	0	0	0	0	0	6	32	0	1	480	33
STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm)		1'162	46	3'194	8	290	107	0	23	119	181	0	59	22	16	95	5'323	104
STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm)		28	0	11	0	88	22	0	0	0	0	0	0	0	0	0	149	5
STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm)		137	23	226	0	2	24	0	0	67	0	0	5	70	0	25	578	3
STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm)		1'077	167	1'119	57	167	1'107	0	0	81	42	0	0	132	0	94	4'043	145
STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm)		67	0	73	0	0	73	0	0	0	0	0	0	0	0	0	213	0
DIV. STAHLBLECHE IN TAFELN + ROLLEN WARMGEW.	7208	53	2	28	0	0	5	0	0	0	0	0	61	80	0	23	251	30
STAHLBLECHE, KALTGEW., ROLLEN, SCHWARZ (>= 600 mm)	7209	940	44	110	218	2'089	931	0	0	0	0	0	0	0	0	0	4'332	0
SPALTBAND, KALTGEWALZT, ROLLEN, SCHWARZ (< 600 mm)	7211	3'742	144	160	0	158	24	0	0	0	0	0	23	0	0	40	4'291	382
STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm)	7209	0	0	2	0	0	0	0	0	0	0	0	0	0	0	29	31	0
STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm)		712	0	539	0	22	104	0	0	0	0	0	94	0	0	46	1'516	45
STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm)		205	5	72	0	0	73	0	1	0	0	0	0	0	0	14	369	10
STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DIVERSE STAHLBLECHE IN TAFELN + ROLLEN, KALTGEWALZT	7209	37	40	25	0	0	0	0	0	0	0	0	0	0	0	2	105	0
STAHLBLECHE, VERZINNT	7210+7212	780	0	1	39	0	0	0	0	0	0	0	0	0	0	184	1'004	25
STAHLBLECHE, ELEKTROLYTISCH VERZINKT	7210+7212	866	0	328	0	176	277	0	2	0	0	0	0	0	0	66	1'714	47
STAHLBLECHE, SENDZIMIR-VERZINKT	7210+7212	4'919	344	2'392	337	2'060	1'110	0	0	60	0	0	0	0	0	915	12'138	116
STAHLBLECHE ÜBERZOGEN (AL)	7210	47	0	6	0	0	0	0	0	0	0	0	0	1	0	5	58	0
WELLBLECHE	7210	1	0	9	0	0	0	0	0	0	0	0	0	0	0	0	10	0
STAHLBLECHE LACKIERT, BEMALT ODER KUNSTSTOFFBESCHICHTET	7210+7212	375	319	875	436	25	70	128	0	64	0	43	15	0	0	242	2'593	410
BREITFLACHSTAHL (< 600 mm breit)	7211	84	127	184	0	0	0	13	0	0	0	0	172	0	0	3	585	2'123
FLACHPRODUKTE		21'783	2'702	10'958	1'606	6'257	6'079	142	25	391	224	250	343	429	16	1'846	53'052	3'570
ARMIERUNGSSTAHL IN RINGEN, WILD AUFGEHASPELT	7213	4'740	5'395	3'636	0	0	0	0	0	0	0	0	0	0	0	0	13'770	6'433
WALZDRAHT	7213	1'887	3'826	1'957	0	0	83	0	0	0	0	280	0	0	0	0	8'033	17'832
STABSTAHL GESCHMIEDET	7214	20	0	15	18	0	0	0	0	0	0	0	8	0	0	24	85	0
ARMIERUNGSSTAHL IN STANGEN UND KALT UMGEHASPELTEN RINGEN	7214	4'353	361	5'809	0	0	24	0	0	0	0	0	45	0	0	162	10'753	0
FLACH-, VIERKANT- UND RUNDSTAHL	7214	1'262	484	879	0	2	35	241	2	0	0	76	316	0	0	622	3'919	13'597
STABSTAHL, KALT VERFORMT	7215	260	36	1'249	0	1	3	1	16	8	0	26	54	0	0	50	1'703	4'089
U-, COULISSEN-, DOPPELT-T-STAHL, ENGL. TRAEGER 76,4	7216	25	11	20	22	0	0	0	18	0	0	0	0	0	0	0	97	1
WINKELSTAHL < 80 mm BREITE	7216	4	121	60	0	0	0	1	0	0	0	0	0	0	0	1	186	2
T-STAHL < 80 mm BREITE	7216	6	51	17	0	0	0	0	0	0	0	0	0	0	0	0	74	1
FORMSTAHL UNP, UPE	7216	817	2	35	0	7	6	0	0	0	0	0	0	0	0	90	958	30
FORMSTAHL TRÄGER INP, IPE, IPER	7216	728	0	16	0	404	12	0	0	0	0	30	0	0	0	204	1'394	179
BREITFLANSCHTRÄGER HE	7216	6'892	287	359	0	2'226	133	0	0	0	0	209	9	0	0	0	10'115	2'966
WINKEL- + T-STAHL > 80 mm BREITE	7216	1	45	258	0	4	2	79	0	0	0	24	0	0	0	59	471	350
Z-STAHL, HANDSCHINIENSTAHL, SCHACHTRAHMENSTAHL	7213+7214	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13
KALTGEROLLTE PROFILE	7216	486	8	146	1	46	222	2	0	0	0	0	23	0	0	61	996	2'332
ANDERE PROFILE	7215+7216	216	101	21	0	128	95	1	0	0	0	0	0	0	0	26	589	127
SPUNDWÄNDE	7301	93	0	0	0	0	0	0	0	0	0	0	635	0	0	0	729	0
GESCHWEISSTE PROFILE	7301	29	0	6	0	0	202	0	0	0	0	0	2	0	0	0	240	343
SCHIENEN	7302	61	0	1'831	6	0	1'542	0	0	0	0	0	0	0	0	0	3'440	10

LANGPRODUKTE	21'881	10'729	16'315	47	2'818	2'360	326	36	8	0	644	1'090	0	0	1'300	57'553	48'307	
RÖHREN, SCHWARZ, GESCHWEISST, BIS 100 mm INNEN ø	7306	59	0	234	0	0	73	0	0	2	0	0	0	0	76	445	5'680	
RÖHREN, SCHWARZ, GESCHWEISST, >100mm INNEN ø	7306	292	0	225	2	0	1	0	0	0	0	0	0	0	24	544	225	
RÖHREN, BESCHICHTET, GESCHWEISST, BIS 100 mm INNEN ø	7306	165	0	704	149	0	62	0	0	0	0	23	0	1	155	1'261	5	
RÖHREN, BESCHICHTET, GESCHWEISST, >100 mm INNEN ø	7306	224	0	186	0	0	5	0	0	0	0	0	0	0	13	428	5	
RÖHREN, SCHWARZ, NAHTLOS, BIS 100 mm INNEN ø	7304	191	0	41	0	0	4	0	0	0	0	5	30	32	0	46	350	69
RÖHREN, SCHWARZ, NAHTLOS, >100 mm INNEN ø	7304	94	0	63	0	0	1	0	0	0	0	0	33	0	18	210	23	
RÖHREN, BESCHICHTET, NAHTLOS, BIS 100 mm INNEN ø	7304	140	0	156	1	0	13	0	0	0	1	11	25	0	12	359	8	
RÖHREN, BESCHICHTET, NAHTLOS, >100 mm INNEN ø	7304	13	0	27	0	0	0	0	0	1	0	0	0	0	8	48	16	
STAHLBAU, HOHLPROFILE	7304+7306	525	37	2'528	49	23	753	280	0	0	16	1	9	0	119	4'339	2'005	
RÖHREN / HOHLPROFILE	1'703	37	4'165	201	23	914	280	0	3	18	17	120	32	1	470	7'985	8'035	
STAHLDRAHNETZE	7314	492	32	791	13	7	1	0	4	36	0	0	1	0	39	1'415	578	
ROSTFREIER STAHL FLACHPRODUKTE	7219+7230	1'733	1'113	894	195	493	85	20	0	370	1'320	291	15	0	139	1'817	8'485	571
ROSTFREIER STAHL LANGPRODUKTE	7222+7223	728	180	645	1	11	159	16	0	143	0	215	4	0	5	394	2'501	2'632
ROSTFREIER STAHL RÖHREN	7304+7306	441	19	756	1	1	27	7	0	10	69	14	0	1	168	1'515	4'336	
ANDERER LEGIERTER STAHL FLACHPRODUKTE	7225+7226	8'208	493	238	166	1'119	2'927	0	0	404	213	0	45	376	110	1'063	15'365	1'132
ANDERER LEGIERTER STAHL LANGPRODUKTE	7227+7228	1'527	34	485	23	1	512	0	0	35	0	168	295	0	0	696	3'777	9'583
ANDERER LEGIERTER STAHL RÖHREN	7304	69	22	3	0	0	0	0	0	6	0	0	0	0	0	47	147	5
DIVERSER STAHL	13'199	1'895	3'812	398	1'632	3'711	44	4	1'005	1'603	689	360	377	255	4'223	33'206	18'838	
ALUMINIUM (INKL. -LEGIERUNGEN) STÄBE, PROFILE	7604	1'975	61	941	38	120	606	3	0	23	4	112	132	9	1	1'354	5'378	3'898
ALUMINIUM (INKL. -LEGIERUNGEN) BLECHE, BÄNDER	7606	2'257	2'777	1'624	47	308	403	27	3	44	5	912	18	144	0	5'864	14'432	23'575
ALUMINIUM (INKL. -LEGIERUNGEN) FOLIEN	7607	3'963	20	376	107	168	300	0	2	0	0	8	0	0	0	962	5'905	1'650
ALUMINIUM (INKL. -LEGIERUNGEN) ROHRE	7608	68	2	78	4	0	2	0	5	0	0	0	38	0	0	160	357	353
ALUMINIUM	8'262	2'859	3'019	196	596	1'310	30	10	68	9	1'032	188	153	1	8'340	26'073	29'475	
ROHBLEI	7801	48	0	1	0	48	0	0	0	0	0	0	0	0	0	47	145	0
BLEI ALS PLATTEN, BLECHE, BÄNDER	7804	36	0	0	0	0	0	0	0	0	0	0	0	0	0	36	0	0
BLEI	84.132	0	1.36	0	48.462	0	0.03	0	0	0	0	0	0	0	0	47.308	181.292	0.008
GESAMTTOTAL	92'454	28'976	39'332	2'448	11'423	21'397	839	75	1'474	1'853	2'635	2'127	992	273	16'427	222'725	167'708	
ANTEIL IN PROZENT	42%	13%	18%	1%	5%	10%	0%	0%	1%	1%	1%	1%	0%	0%	7%			

ROHEISEN, SCHROTT, HALBZEUG	25'542	10'753	1'063	0	49	7'023	17	0	0	0	2	26	0	0	201	44'676	59'483
FLACH-, LANGPRODUKTE, RÖHREN / HOHLPROFILE, DIV. STAHL	58'566	15'363	35'250	2'252	10'730	13'064	791	65	1'407	1'845	1'601	1'913	839	272	7'938	151'795	78'750
ALUMINIUM	8'262	2'859	3'019	196	596	1'310	30	10	68	9	1'032	188	153	1	8'340	26'073	29'475
BLEI	84	0	1	0	48	0	0	0	0	0	0	0	0	0	47	181	0
GESAMTTOTAL	92'454	28'976	39'332	2'448	11'423	21'397	839	75	1'474	1'853	2'635	2'127	992	273	16'427	222'725	167'708

### IMPORTE SCHWEIZ - SIDERURGISCHE ERZEUGNISSE

MATERIAL	ZOLL-POS.	Monat	Kumuliert IMPORT	Vorjahr	
ROHEISEN	7201	662	662	1'045	-37%
SCHROTT	7204	42'728	42'728	46'392	-8%
ROHSTAHL, BLÖCKE	7206	0	0	26	-99%
ROHSTAHL, KNÜPPEL	7207	1'286	1'286	3'082	-58%
<b>ROHEISEN, SCHROTT, HALBZEUG</b>		<b>44'676</b>	<b>44'676</b>	<b>50'544</b>	<b>-12%</b>
STAHLBLECHE, WARMGEW., ROLLEN, SCHWARZ (>= 600 mm)	7208	995	995	995	0%
SPALTBAND, WARMGEW., ROLLEN, SCHWARZ (< 600 mm)	7211	3'548	3'548	4'092	-13%
STAHLBLECHE, WARMGEW., ROLLEN, DEK. (>= 600 mm)	7208	5'178	5'178	5'129	1%
SPALTBAND, WARMGEW., ROLLEN, DEK. (< 600 mm)	7211	3'547	3'547	2'852	24%
STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) Naturwalzkanten, <= 1250 mm, >= 4 mm	7208	480	480	231	108%
STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) Grobbleche >= 4,75 mm	7208	5'323	5'323	4'345	23%
STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) Feinbleche < 3 mm	7208	149	149	26	472%
STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) Naturwalzkanten, <= 1250 mm, >= 4 mm	7208	578	578	685	-16%
STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) Grobbleche >= 4,75 mm	7208	4'043	4'043	2'854	42%
STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) Mittelbleche 3 - < 4,75 mm	7208	213	213	115	85%
DIV. STAHLBLECHE IN TAFELN + ROLLEN WARMGEW.	7208	251	251	317	-21%
STAHLBLECHE, KALTGEW., ROLLEN, SCHWARZ (>= 600 mm)	7209	4'332	4'332	4'626	-6%
SPALTBAND, KALTGEWALZT, ROLLEN, SCHWARZ (< 600 mm)	7211	4'291	4'291	4'538	-5%
STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) >= 3 mm dick	7209	31	31	17	77%
STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) > 1 - < 3mm dick	7209	1'516	1'516	1'154	31%
STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) >= 0,5 - <= 1 mm dick	7209	369	369	304	21%
STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) < 0.5 mm dick	7209	0	0	0	-100%
DIVERSE STAHLBLECHE IN TAFELN + ROLLEN, KALTGEWALZT	7209	105	105	54	95%
STAHLBLECHE, VERZINNT	7210+7212	1'004	1'004	974	3%
STAHLBLECHE, ELEKTROLYTISCH VERZINKT	7210+7212	1'714	1'714	1'383	24%
STAHLBLECHE, SENDZIMIR-VERZINKT	7210+7212	12'138	12'138	12'164	0%
STAHLBLECHE ÜBERZOGEN (AL)	7210	58	58	13	366%
WELLBLECHE	7210	10	10	2	398%
STAHLBLECHE LACKIERT, BEMALT ODER KUNSTSTOFFBESCHICHTET	7210+7212	2'593	2'593	2'227	16%
BREITFLACHSTAHL (< 600 mm breit)	7211	585	585	264	122%
<b>FLACHPRODUKTE</b>		<b>53'052</b>	<b>53'052</b>	<b>49'360</b>	<b>7%</b>
ARMIERUNGSSTAHL IN RINGEN, WILD AUFGEHASPELT	7213	13'770	13'770	14'283	-4%
WALZDRAHT	7213	8'033	8'033	4'375	84%
STABSTAHL GESCHMIEDET	7214	85	85	72	19%
ARMIERUNGSSTAHL IN STANGEN UND KALT UMGEHASPELTEN RINGEN	7214	10'753	10'753	9'007	19%
FLACH-, VIERKANT- UND RUNDSTAHL	7214	3'919	3'919	3'643	8%
STABSTAHL, KALT VERFORMT	7215	1'703	1'703	1'477	15%
U-, COULISSEN-, DOPPELT-T-STAHLE, ENGL. TRAEGER 76,4	7216	97	97	64	52%
WINKELSTAHL < 80 mm BREITE	7216	186	186	292	-36%
T-STAHLE < 80 mm BREITE	7216	74	74	39	92%
FORMSTAHL UNP, UPE	7216	958	958	661	45%
FORMSTAHL TRÄGER INP, IPE, IPER	7216	1'394	1'394	1'417	-2%
BREITFLANSCHTRÄGER HE	7216	10'115	10'115	7'010	44%
WINKEL- + T-STAHLE > 80 mm BREITE	7216	471	471	545	-14%
Z-STAHLE, HANDSCHIENENSTAHL, SCHACHTRAHMENSTAHL	7213+7214	0	0	0	-98%
KALTGEROLLTE PROFILE	7216	996	996	903	10%
ANDERE PROFILE	7215+7216	589	589	379	55%
SPUNDWÄNDE	7301	729	729	1'137	-36%
GESCHWEISSTE PROFILE	7301	240	240	47	407%
SCHIENEN	7302	3'440	3'440	2'679	28%

Monat	Kumuliert EXPORT	Vorjahr	
2	2	49	-95%
49'060	49'060	66'521	-26%
0	0	0	49%
10'420	10'420	6'553	59%
<b>59'483</b>	<b>59'483</b>	<b>73'123</b>	<b>-19%</b>
0	0	1	-100%
0	0	2	-100%
0	0	23	-100%
91	91	247	-63%
33	33	10	238%
104	104	35	193%
5	5	1	890%
3	3	20	-84%
145	145	281	-48%
0	0	2	-100%
30	30	37	-17%
0	0	57	-100%
382	382	338	13%
0	0	0	68%
45	45	62	-28%
10	10	14	-23%
0	0	0	#DIV/0!
0	0	0	-68%
25	25	95	-74%
47	47	56	-16%
116	116	645	-82%
0	0	3	-100%
0	0	0	#DIV/0!
410	410	470	-13%
2'123	2'123	4'734	-55%
<b>3'570</b>	<b>3'570</b>	<b>7'132</b>	<b>-50%</b>
6'433	6'433	9'332	-31%
17'832	17'832	15'374	16%
0	0	0	192%
0	0	72	-100%
13'597	13'597	11'358	20%
4'089	4'089	4'182	-2%
1	1	12	-94%
2	2	5	-49%
1	1	0	144%
30	30	2	1490%
179	179	0	940637%
2'966	2'966	2'265	31%
350	350	83	324%
13	13	0	2565%
2'332	2'332	1'647	42%
127	127	107	19%
0	0	0	-98%
343	343	380	-10%
10	10	121	-91%

LANGPRODUKTE		57'553	57'553	48'032	20%
RÖHREN, SCHWARZ, GESCHWEISST, BIS 100 mm INNEN ø	7306	445	445	511	-13%
RÖHREN, SCHWARZ, GESCHWEISST, >100mm INNEN ø	7306	544	544	686	-21%
RÖHREN, BESCHICHTET, GESCHWEISST, BIS 100 mm INNEN ø	7306	1'261	1'261	1'315	-4%
RÖHREN, BESCHICHTET, GESCHWEISST, >100 mm INNEN ø	7306	428	428	342	25%
RÖHREN, SCHWARZ, NAHTLOS, BIS 100 mm INNEN ø	7304	350	350	370	-5%
RÖHREN, SCHWARZ, NAHTLOS, >100 mm INNEN ø	7304	210	210	359	-42%
RÖHREN, BESCHICHTET, NAHTLOS, BIS 100 mm INNEN ø	7304	359	359	327	10%
RÖHREN, BESCHICHTET, NAHTLOS, >100 mm INNEN ø	7304	48	48	110	-56%
STAHLBAU, HOHLPROFILE	7304+7306	4'339	4'339	3'985	9%
RÖHREN / HOHLPROFILE		7'985	7'985	8'004	0%
STAHLDRAHNETZE	7314	1'415	1'415	762	86%
ROSTFREIER STAHL FLACHPRODUKTE	7219+7230	8'485	8'485	7'200	18%
ROSTFREIER STAHL LANGPRODUKTE	7222+7223	2'501	2'501	2'080	20%
ROSTFREIER STAHL RÖHREN	7304+7306	1'515	1'515	1'404	8%
ANDERER LEGIERTER STAHL FLACHPRODUKTE	7225+7226	15'365	15'365	17'481	-12%
ANDERER LEGIERTER STAHL LANGPRODUKTE	7227+7228	3'777	3'777	3'003	26%
ANDERER LEGIERTER STAHL RÖHREN	7304	147	147	197	-25%
DIVERSER STAHL		33'206	33'206	32'127	3%
ALUMINIUM (INKL. -LEGIERUNGEN) STÄBE, PROFILE	7604	5'378	5'378	4'197	28%
ALUMINIUM (INKL. -LEGIERUNGEN) BLECHE, BÄNDER	7606	14'432	14'432	12'983	11%
ALUMINIUM (INKL. -LEGIERUNGEN) FOLIEN	7607	5'905	5'905	4'842	22%
ALUMINIUM (INKL. -LEGIERUNGEN) ROHRE	7608	357	357	213	67%
ALUMINIUM		26'073	26'073	22'234	17%
ROHBLEI	7801	145	145	106	37%
BLEI ALS PLATTEN, BLECHE, BÄNDER	7804	36	36	7	381%
BLEI		181.292	181.292	113.273	60%
GESAMTTOTAL		222'725	222'725	210'414	6%
ANTEIL IN PROZENT		0%	0%	0%	

	48'307	48'307	44'941	7%
	5'680	5'680	5'608	1%
	225	225	194	16%
	5	5	1	428%
	5	5	3	81%
	69	69	88	-22%
	23	23	5	382%
	8	8	6	36%
	16	16	2	738%
	2'005	2'005	1'744	15%
	8'035	8'035	7'650	5%
	578	578	773	-25%
	571	571	468	22%
	2'632	2'632	2'220	19%
	4'336	4'336	5'429	-20%
	1'132	1'132	769	47%
	9'583	9'583	12'057	-21%
	5	5	2	158%
	18'838	18'838	21'718	-13%
	3'898	3'898	3'476	12%
	23'575	23'575	22'441	5%
	1'650	1'650	1'462	13%
	353	353	241	46%
	29'475	29'475	27'621	7%
	0	0	3	-100%
	0	0	0	-98%
	0.008	0.008	2.885	-100%
	167'708	167'708	182'188	-8%
	0%	0%	0%	

ROHEISEN, SCHROTT, HALBZEUG		44'676	44'676	50'544	-12%
FLACH-, LANGPRODUKTE, RÖHREN / HOHLPROFILE, DIV. STAHL		151'795	151'795	137'522	10%
ALUMINIUM		26'073	26'073	22'234	17%
BLEI		181	181	113	60%
GESAMTTOTAL		222'725	222'725	210'414	6%

	59'483	59'483	73'123	-19%
	78'750	78'750	81'441	-3%
	29'475	29'475	27'621	7%
	0	0	3	-100%
	167'708	167'708	182'188	-8%