

| MATERIAL | ZOLL-POS. | 111 BRD | 112 F | 113 I | 114 NL | 115 BE/LUX | 121 OE | 122 GB | 123 DK | 125 S | 127 SF | 145 E | 154 TS | 156 SL | 387 JAP. | DIV. | IMPORT | EXPORT | | |
|---|-----------|---------------|---------------|---------------|--------------|--------------|--------------|------------|-----------|------------|------------|--------------|------------|------------|-----------|--------------|---------------|---------------|----------|---|
| ROHEISEN | 7201 | 665 | 0 | 0 | 104 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 348 | 1'117 | 0 | |
| SCHROTT | 7204 | 36'003 | 14'920 | 23 | 0 | 0 | 4'873 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 55'818 | 55'544 | 0 | |
| ROHSTAHL, BLÖCKE | 7206 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 0 | |
| ROHSTAHL, KNÜPPEL | 7207 | 298 | 9 | 3'910 | 0 | 8 | 8 | 8 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 23 | 4'264 | 8'095 | 0 | |
| ROHEISEN, SCHROTT, HALBZEUG | | 36'976 | 14'929 | 3'932 | 104 | 8 | 4'880 | 8 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 372 | 61'210 | 63'639 | 0 | |
| STAHLBLECHE, WARMGEW., ROLLEN, SCHWARZ (>= 600 mm) | 7208 | 276 | 127 | 180 | 38 | 62 | 123 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 806 | 0 |
| SPALTBAND, WARMGEW., ROLLEN, SCHWARZ (< 600 mm) | 7211 | 2'764 | 68 | 1'091 | 0 | 0 | 1'541 | 0 | 0 | 0 | 0 | 15 | 5 | 0 | 0 | 1 | 5'483 | 0 | 0 | |
| STAHLBLECHE, WARMGEW., ROLLEN, DEK. (>= 600 mm) | 7208 | 505 | 890 | 1'025 | 152 | 840 | 733 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4'145 | 0 | 0 | |
| SPALTBAND, WARMGEW., ROLLEN, DEK. (< 600 mm) | 7211 | 2'519 | 5 | 399 | 0 | 0 | 768 | 0 | 0 | 0 | 0 | 148 | 0 | 0 | 0 | 48 | 3'887 | 32 | 0 | |
| STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) Naturwalzkanten, <= 1250 mm, >= 4 mm | 7208 | 263 | 16 | 203 | 0 | 15 | 42 | 0 | 0 | 0 | 23 | 0 | 13 | 17 | 18 | 6 | 616 | 64 | 0 | |
| STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) Grobbleche >= 4,75 mm | 7208 | 782 | 196 | 2'278 | 12 | 156 | 256 | 0 | 0 | 117 | 395 | 0 | 99 | 30 | 7 | 74 | 4'402 | 118 | 0 | |
| STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) Feinbleche < 3 mm | 7208 | 24 | 0 | 0 | 0 | 151 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 175 | 1 | 0 | |
| STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) Naturwalzkanten, <= 1250 mm, >= 4 mm | 7208 | 90 | 10 | 234 | 0 | 4 | 5 | 0 | 0 | 0 | 2 | 0 | 0 | 18 | 0 | 13 | 376 | 3 | 0 | |
| STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) Grobbleche >= 4,75 mm | 7208 | 591 | 59 | 1'723 | 124 | 108 | 825 | 44 | 22 | 137 | 78 | 0 | 44 | 0 | 5 | 277 | 4'038 | 229 | 0 | |
| STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) Mittelbleche 3 - < 4,75 mm | 7208 | 14 | 0 | 98 | 0 | 91 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 206 | 20 | 0 | |
| DIV. STAHLBLECHE IN TAFELN + ROLLEN WARMGEW. | 7208 | 21 | 0 | 42 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 83 | 304 | 0 | 1 | 453 | 56 | 0 | |
| STAHLBLECHE, KALTGEW., ROLLEN, SCHWARZ (>= 600 mm) | 7209 | 760 | 0 | 152 | 210 | 2'167 | 1'320 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4'609 | 1 | 0 | |
| SPALTBAND, KALTGEWALZT, ROLLEN, SCHWARZ (< 600 mm) | 7211 | 2'660 | 121 | 379 | 1 | 110 | 32 | 0 | 1 | 0 | 0 | 0 | 5 | 0 | 0 | 44 | 3'353 | 367 | 0 | |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) >= 3 mm dick | 7209 | 0 | 0 | 98 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 98 | 2 | 0 | |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) > 1 - < 3mm dick | 7209 | 538 | 0 | 586 | 4 | 0 | 263 | 0 | 0 | 0 | 0 | 0 | 15 | 77 | 0 | 116 | 1'599 | 43 | 0 | |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) >= 0,5 - <= 1 mm dick | 7209 | 81 | 0 | 53 | 0 | 0 | 58 | 0 | 0 | 0 | 0 | 0 | 1 | 19 | 0 | 3 | 215 | 3 | 0 | |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) < 0,5 mm dick | 7209 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| DIVERSE STAHLBLECHE IN TAFELN + ROLLEN, KALTGEWALZT | 7209 | 20 | 24 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 50 | 1 | 0 | |
| STAHLBLECHE, VERZINNT | 7210*7212 | 589 | 19 | 279 | 467 | 166 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 108 | 1'627 | 0 | 0 | |
| STAHLBLECHE, ELEKTROLYTISCH VERZINKT | 7210*7212 | 882 | 0 | 289 | 0 | 420 | 270 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1'864 | 25 | 0 | |
| STAHLBLECHE, SENDZIMIR-VERZINKT | 7210*7212 | 3'427 | 215 | 2'763 | 312 | 3'371 | 1'585 | 0 | 0 | 30 | 0 | 0 | 1 | 0 | 0 | 520 | 12'226 | 166 | 0 | |
| STAHLBLECHE ÜBERZOGEN (AL) | 7210 | 1 | 0 | 44 | 0 | 0 | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 24 | 86 | 0 | 0 | |
| WELLBLECHE | 7210 | 2 | 0 | 0 | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 0 | 0 | |
| STAHLBLECHE LACKIERT, BEMALT ODER KUNSTSTOFFBESCHICHTET | 7210*7212 | 373 | 373 | 724 | 902 | 320 | 74 | 115 | 1 | 109 | 0 | 158 | 0 | 0 | 0 | 241 | 3'389 | 506 | 0 | |
| BLECHFLACHSTAHL (< 600 mm breit) | 7211 | 250 | 80 | 84 | 0 | 0 | 8 | 0 | 0 | 0 | 0 | 10 | 61 | 0 | 0 | 1 | 493 | 3'841 | 0 | |
| FLACHPRODUKTE | | 17'431 | 2'202 | 12'726 | 2'222 | 7'981 | 7'931 | 159 | 24 | 393 | 501 | 332 | 327 | 464 | 30 | 1'484 | 54'205 | 5'477 | 0 | |
| ARMIERUNGSSTAHL IN RINGEN, WILD AUFGEHASPELT | 7213 | 8'175 | 7'949 | 3'080 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1'524 | 0 | 0 | 0 | 0 | 20'728 | 7'925 | 0 | |
| WALZDRAHT | 7213 | 1'561 | 2'110 | 920 | 0 | 0 | 27 | 0 | 0 | 0 | 0 | 134 | 0 | 0 | 0 | 0 | 4'753 | 14'186 | 0 | |
| STABSTAHL GESCHMIEDET | 7214 | 148 | 0 | 1 | 23 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 72 | 244 | 0 | 0 | |
| ARMIERUNGSSTAHL IN STANGEN UND KALT UMGEHASPELTEN RINGEN | 7214 | 5'366 | 306 | 11'199 | 0 | 0 | 11 | 0 | 0 | 0 | 0 | 0 | 24 | 0 | 0 | 231 | 17'137 | 18 | 0 | |
| FLACH-, VIERKANT- UND RUNDSTAHL | 7214 | 1'069 | 467 | 1'263 | 24 | 31 | 20 | 403 | 3 | 0 | 0 | 175 | 248 | 0 | 0 | 497 | 4'199 | 11'110 | 0 | |
| STABSTAHL, KALT VERFORMT | 7215 | 644 | 73 | 1'413 | 0 | 0 | 2 | 1 | 6 | 7 | 0 | 65 | 51 | 0 | 0 | 8 | 2'272 | 3'467 | 0 | |
| U-, COULISSEN-, DOPPELT-T-STAHL, ENGL. TRAEGER 76,4 | 7216 | 3 | 12 | 15 | 0 | 0 | 0 | 0 | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 48 | 16 | 0 | |
| WINKELSTAHL < 80 mm BREITE | 7216 | 4 | 60 | 157 | 0 | 4 | 0 | 4 | 0 | 0 | 0 | 3 | 7 | 0 | 0 | 5 | 244 | 26 | 0 | |
| T-STAHL < 80 mm BREITE | 7216 | 0 | 4 | 52 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 57 | 1 | 0 | |
| FORMSTAHL UNP, UPE | 7216 | 720 | 19 | 71 | 0 | 20 | 5 | 0 | 0 | 0 | 0 | 68 | 0 | 0 | 0 | 51 | 955 | 21 | 0 | |
| FORMSTAHL TRÄGER INP, IPE, IPER | 7216 | 1'024 | 16 | 106 | 0 | 458 | 72 | 0 | 0 | 0 | 0 | 21 | 0 | 0 | 0 | 63 | 1'759 | 247 | 0 | |
| BREITFLANSCHTRÄGER HE | 7216 | 5'998 | 0 | 1'466 | 0 | 2'673 | 105 | 0 | 0 | 0 | 0 | 166 | 0 | 0 | 0 | 93 | 10'501 | 273 | 0 | |
| WINKEL- + T-STAHL > 80 mm BREITE | 7216 | 31 | 71 | 318 | 0 | 35 | 4 | 1 | 0 | 0 | 0 | 19 | 11 | 0 | 0 | 79 | 569 | 132 | 0 | |
| Z-STAHL, HANDSCHINIENSTAHL, SCHACHTRAHMENSTAHL | 7213*7214 | 103 | 24 | 23 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 24 | 0 | 0 | 0 | 175 | 0 | 0 | |
| KALTGEROLLTE PROFILE | 7216 | 696 | 66 | 286 | 0 | 2 | 204 | 1 | 0 | 0 | 0 | 21 | 266 | 0 | 0 | 103 | 1'646 | 2'761 | 0 | |
| ANDERE PROFILE | 7215*7216 | 282 | 101 | 74 | 0 | 25 | 78 | 0 | 45 | 0 | 0 | 30 | 0 | 0 | 0 | 18 | 654 | 144 | 0 | |
| SPUNDWÄNDE | 7301 | 716 | 25 | 24 | 0 | 95 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 45 | 904 | 0 | 0 | |
| GESCHWEISSTE PROFILE | 7301 | 5 | 0 | 31 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 0 | 1 | 43 | 265 | 0 | |
| SCHIENEN | 7302 | 90 | 1'047 | 1'831 | 0 | 18 | 3'238 | 0 | 0 | 0 | 0 | 61 | 0 | 0 | 0 | 39 | 6'324 | 11 | 0 | |
| LANGPRODUKTE | | 26'635 | 12'350 | 22'331 | 47 | 3'361 | 3'768 | 411 | 73 | 7 | 2 | 2'287 | 634 | 0 | 0 | 1'306 | 73'212 | 40'604 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | |
|--|-----------|---------|--------|--------|-------|---------|--------|-------|-----|-------|-------|-------|-------|-------|-----|--------|---------|---------|-------|-------|-------|
| RÖHREN, SCHWARZ, GESCHWEISST, BIS 100 mm INNEN ø | 7306 | 153 | 0 | 392 | 19 | 0 | 57 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 84 | 779 | 6'084 |
| RÖHREN, SCHWARZ, GESCHWEISST, >100mm INNEN ø | 7306 | 258 | 0 | 220 | 29 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 52 | 564 | 264 |
| RÖHREN, BESCHICHTET, GESCHWEISST, BIS 100 mm INNEN ø | 7306 | 233 | 0 | 578 | 159 | 1 | 101 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 99 | 1'185 | 3 | |
| RÖHREN, BESCHICHTET, GESCHWEISST, >100 mm INNEN ø | 7306 | 512 | 26 | 362 | 23 | 0 | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 23 | 964 | 21 | |
| RÖHREN, SCHWARZ, NAHTLOS, BIS 100 mm INNEN ø | 7304 | 179 | 0 | 27 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 11 | 48 | 86 | 0 | 0 | 19 | 373 | 78 | |
| RÖHREN, SCHWARZ, NAHTLOS, >100 mm INNEN ø | 7304 | 85 | 1 | 64 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 54 | 21 | 0 | 0 | 78 | 307 | 15 | |
| RÖHREN, BESCHICHTET, NAHTLOS, BIS 100 mm INNEN ø | 7304 | 101 | 45 | 213 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 7 | 370 | 5 | |
| RÖHREN, BESCHICHTET, NAHTLOS, >100 mm INNEN ø | 7304 | 39 | 0 | 66 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 25 | 0 | 0 | 0 | 28 | 158 | 3 | |
| STAHLBAU, HOHLPROFILE | 7304+7306 | 608 | 80 | 2'240 | 36 | 33 | 804 | 393 | 0 | 0 | 9 | 3 | 3 | 0 | 0 | 0 | 0 | 63 | 4'272 | 1'854 | |
| RÖHREN / HOHLPROFILE | | 2'169 | 152 | 4'162 | 266 | 34 | 989 | 407 | 0 | 0 | 9 | 92 | 129 | 110 | 0 | 0 | 0 | 452 | 8'972 | 8'327 | |
| STAHLDRAHNETZE | 7314 | 511 | 95 | 628 | 5 | 2 | 1 | 1 | 2 | 26 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 52 | 1'326 | 939 | |
| ROSTFREIER STAHL FLACHPRODUKTE | 7219+7220 | 1'645 | 923 | 748 | 193 | 753 | 141 | 16 | 0 | 207 | 1'237 | 133 | 9 | 0 | 47 | 2'351 | 8'404 | 349 | | | |
| ROSTFREIER STAHL LANGPRODUKTE | 7232+7223 | 647 | 108 | 574 | 1 | 0 | 103 | 17 | 45 | 145 | 2 | 208 | 3 | 0 | 10 | 324 | 2'187 | 2'277 | | | |
| ROSTFREIER STAHL RÖHREN | 7304+7306 | 613 | 28 | 603 | 9 | 0 | 37 | 8 | 4 | 27 | 2 | 40 | 0 | 0 | 0 | 190 | 1'563 | 4'374 | | | |
| ANDERER LEGIERTER STAHL FLACHPRODUKTE | 7225+7226 | 10'250 | 830 | 430 | 480 | 1'103 | 3'810 | 0 | 0 | 616 | 139 | 6 | 69 | 727 | 581 | 2'806 | 21'849 | 900 | | | |
| ANDERER LEGIERTER STAHL LANGPRODUKTE | 7227+7228 | 1'496 | 64 | 523 | 1 | 0 | 585 | 3 | 0 | 29 | 21 | 95 | 303 | 2 | 0 | 376 | 3'498 | 8'606 | | | |
| ANDERER LEGIERTER STAHL RÖHREN | 7304 | 48 | 0 | 7 | 0 | 0 | 32 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 35 | 123 | 11 | | | |
| DIVERSER STAHL | | 15'210 | 2'048 | 3'514 | 688 | 1'859 | 4'708 | 45 | 51 | 1'052 | 1'401 | 483 | 386 | 730 | 638 | 6'135 | 38'949 | 17'457 | | | |
| ALUMINIUM (INKL. -LEGIERUNGEN) STÄBE, PROFILE | 7604 | 2'618 | 208 | 949 | 37 | 103 | 742 | 3 | 16 | 19 | 30 | 120 | 211 | 2 | 1 | 1'652 | 6'711 | 3'438 | | | |
| ALUMINIUM (INKL. -LEGIERUNGEN) BLECHE, BÄNDER | 7606 | 2'044 | 2'542 | 1'577 | 54 | 227 | 370 | 6 | 0 | 0 | 0 | 1'241 | 28 | 639 | 0 | 7'727 | 16'455 | 23'173 | | | |
| ALUMINIUM (INKL. -LEGIERUNGEN) FOLIEN | 7607 | 3'722 | 19 | 328 | 44 | 227 | 333 | 2 | 2 | 0 | 0 | 64 | 0 | 7 | 0 | 1'259 | 6'006 | 1'885 | | | |
| ALUMINIUM (INKL. -LEGIERUNGEN) ROHRE | 7608 | 73 | 2 | 105 | 0 | 0 | 5 | 0 | 8 | 0 | 0 | 0 | 83 | 0 | 0 | 155 | 432 | 379 | | | |
| ALUMINIUM | | 8'457 | 2'771 | 2'960 | 136 | 557 | 1'449 | 10 | 25 | 19 | 30 | 1'425 | 322 | 649 | 1 | 10'794 | 29'604 | 28'874 | | | |
| ROHBLEI | 7801 | 1 | 1 | 0 | 0 | 120 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 24 | 146 | 0 | | | |
| BLEI ALS PLATTEN, BLECHE, BÄNDER | 7804 | 44 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 44 | 0 | | | |
| BLEI | | 45,18 | 0,8 | 0,102 | 0 | 119,733 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 24,43 | 190,245 | 0,208 | | | |
| GESAMTTOTAL | | 106'923 | 34'451 | 49'625 | 3'464 | 13'920 | 23'725 | 1'040 | 173 | 1'472 | 1'944 | 4'620 | 1'797 | 1'952 | 669 | 20'567 | 266'343 | 164'379 | | | |
| ANTEIL IN PROZENT | | 40% | 13% | 19% | 1% | 5% | 9% | 0% | 0% | 1% | 1% | 2% | 1% | 1% | 0% | 8% | | | | | |

| | | | | | | | | | | | | | | | | | | | | |
|--|--|---------|--------|--------|-------|--------|--------|-------|-----|-------|-------|-------|-------|-------|-----|--------|---------|---------|--|--|
| ROHEISEN, SCHROTT, HALBZEUG | | 36'976 | 14'929 | 3'932 | 104 | 8 | 4'880 | 8 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 372 | 61'210 | 63'639 | | |
| FLACH-, LANGPRODUKTE, RÖHREN / HOHLPROFILE, DIV. STAHL | | 61'445 | 16'751 | 42'733 | 3'224 | 13'236 | 17'396 | 1'022 | 148 | 1'453 | 1'914 | 3'195 | 1'475 | 1'304 | 668 | 9'377 | 175'339 | 71'865 | | |
| ALUMINIUM | | 8'457 | 2'771 | 2'960 | 136 | 557 | 1'449 | 10 | 25 | 19 | 30 | 1'425 | 322 | 649 | 1 | 10'794 | 29'604 | 28'874 | | |
| BLEI | | 45 | 1 | 0 | 0 | 120 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 24 | 146 | 0 | | |
| GESAMTTOTAL | | 106'923 | 34'451 | 49'625 | 3'464 | 13'920 | 23'725 | 1'040 | 173 | 1'472 | 1'944 | 4'620 | 1'797 | 1'952 | 669 | 20'567 | 266'343 | 164'379 | | |

| MATERIAL | ZOLL-POS. | 111 BRD | 112 F | 113 I | 114 NL | 115 BE/LUX | 121 OE | 122 GB | 123 DK | 125 S | 127 SF | 145 E | 154 TS | 156 SL | 387 JAP. | DIV. | IMPORT | EXPORT | |
|--|-----------|---------|--------|---------|--------|------------|--------|--------|--------|-------|--------|-------|--------|--------|----------|--------|---------|---------|---------|
| ROHEISEN | 7201 | 3'162 | 0 | 18 | 155 | 103 | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1'368 | 4'831 | 7 |
| ROHSTAHL, BLÖCKE | 7204 | 164'366 | 57'630 | 83 | 0 | 49 | 33'579 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 21 | 255'727 | 301'058 |
| ROHSTAHL, KNÜPPEL | 7206 | 93 | 0 | 29 | 0 | 0 | 113 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 237 | 6 |
| ROHSTAHL, KNÜPPEL | 7207 | 927 | 10 | 18'895 | 2 | 14 | 32 | 80 | 1 | 0 | 0 | 20 | 21 | 0 | 0 | 59 | 20'060 | 49'203 | |
| ROHEISEN, SCHROTT, HALBZEUG | | 168'548 | 57'639 | 19'025 | 156 | 166 | 33'749 | 80 | 1 | 0 | 0 | 20 | 21 | 0 | 1 | 1'449 | 280'856 | 350'274 | |
| STAHLBLECHE, WARMGEW., ROLLEN, SCHWARZ (>= 600 mm) | 7208 | 4'933 | 2'116 | 3'774 | 408 | 2'176 | 1'672 | 0 | 23 | 19 | 98 | 14 | 2 | 32 | 16 | 84 | 15'367 | 69 | |
| SPALTBAND, WARMGEW., ROLLEN, SCHWARZ (< 600 mm) | 7211 | 15'351 | 168 | 2'806 | 0 | 180 | 4'637 | 0 | 1 | 0 | 0 | 37 | 14 | 0 | 0 | 173 | 23'367 | 362 | |
| STAHLBLECHE, WARMGEW., ROLLEN, DEK. (>= 600 mm) | 7208 | 2'991 | 6'765 | 3'992 | 762 | 4'943 | 3'005 | 0 | 23 | 0 | 0 | 0 | 0 | 0 | 0 | 16 | 22'496 | 8 | |
| SPALTBAND, WARMGEW., ROLLEN, DEK. (< 600 mm) | 7211 | 13'853 | 208 | 3'773 | 0 | 341 | 2'860 | 118 | 0 | 1 | 0 | 788 | 27 | 0 | 0 | 375 | 22'344 | 792 | |
| STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) | 7208 | 2'023 | 212 | 3'513 | 110 | 415 | 1'245 | 0 | 0 | 248 | 315 | 0 | 89 | 278 | 18 | 261 | 8'727 | 600 | |
| STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) | 7208 | 6'945 | 569 | 10'586 | 192 | 1'106 | 974 | 1 | 65 | 964 | 1'540 | 0 | 285 | 370 | 243 | 1'086 | 24'927 | 590 | |
| STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) | 7208 | 1'923 | 95 | 823 | 89 | 2'468 | 1'108 | 0 | 1 | 0 | 0 | 0 | 0 | 94 | 0 | 98 | 6'697 | 63 | |
| STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) | 7208 | 1'617 | 120 | 2'740 | 28 | 167 | 94 | 0 | 23 | 38 | 86 | 0 | 13 | 391 | 16 | 94 | 5'427 | 152 | |
| STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) | 7208 | 5'264 | 811 | 7'466 | 507 | 1'265 | 3'555 | 91 | 22 | 747 | 340 | 0 | 280 | 199 | 10 | 1'282 | 21'842 | 1'237 | |
| STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) | 7208 | 241 | 56 | 366 | 0 | 255 | 335 | 0 | 0 | 1 | 4 | 0 | 0 | 0 | 0 | 0 | 1'257 | 42 | |
| DIV. STAHLBLECHE IN TAFELN + ROLLEN WARMGEW. | 7208 | 214 | 46 | 133 | 0 | 13 | 42 | 0 | 0 | 0 | 0 | 0 | 327 | 842 | 0 | 25 | 1'642 | 230 | |
| STAHLBLECHE, KALTGEW., ROLLEN, SCHWARZ (>= 600 mm) | 7209 | 5'004 | 0 | 2'276 | 366 | 13'476 | 5'489 | 0 | 0 | 0 | 0 | 0 | 0 | 94 | 0 | 108 | 26'813 | 167 | |
| SPALTBAND, KALTGEWALZT, ROLLEN, SCHWARZ (< 600 mm) | 7211 | 16'285 | 551 | 5'362 | 22 | 1'242 | 160 | 0 | 1 | 113 | 0 | 208 | 12 | 0 | 0 | 153 | 20'334 | 1'917 | |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) | 7209 | 215 | 5 | 320 | 0 | 0 | 97 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 44 | 682 | 14 | |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) | 7209 | 4'563 | 0 | 2'849 | 14 | 122 | 795 | 0 | 1 | 0 | 0 | 0 | 15 | 569 | 0 | 529 | 9'457 | 260 | |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) | 7209 | 739 | 40 | 216 | 0 | 182 | 240 | 0 | 0 | 0 | 0 | 0 | 1 | 60 | 0 | 28 | 1'507 | 20 | |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) | 7209 | 5'270 | 637 | 3'306 | 641 | 2'262 | 1'084 | 128 | 2 | 18 | 0 | 43 | 0 | 1 | 0 | 860 | 14'251 | 488 | |
| DIVERSE STAHLBLECHE IN TAFELN + ROLLEN, KALTGEWALZT | 7209 | 54 | 179 | 215 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 58 | 505 | 3 | |
| STAHLBLECHE, VERZINNT | 7210+7212 | 5'317 | 84 | 1'316 | 1'268 | 804 | 627 | 46 | 2 | 42 | 0 | 0 | 0 | 2 | 0 | 820 | 10'327 | 266 | |
| STAHLBLECHE, ELEKTROLYTISCH VERZINKT | 7210+7212 | 7'670 | 341 | 4'386 | 164 | 4'316 | 3'158 | 0 | 0 | 82 | 0 | 0 | 16 | 0 | 0 | 622 | 20'755 | 381 | |
| STAHLBLECHE, SENDZIMIR-VERZINKT | 7210+7212 | 18'187 | 1'193 | 12'963 | 881 | 13'574 | 8'171 | 23 | 0 | 460 | 0 | 2 | 1 | 1 | 0 | 2'774 | 58'230 | 1'277 | |
| STAHLBLECHE ÜBERZOGEN (AL) | 7210 | 296 | 319 | 776 | 439 | 25 | 64 | 128 | 0 | 0 | 0 | 43 | 0 | 0 | 0 | 170 | 2'260 | 366 | |
| WELLBLECHE | 7210 | 12 | 0 | 0 | 0 | 0 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 21 | 0 |
| STAHLBLECHE LACKIERT, BEMALT ODER KUNSTSTOFFBESCHICHTET | 7210+7212 | 10'837 | 2'561 | 5'740 | 3'409 | 1'304 | 1'457 | 431 | 45 | 280 | 0 | 891 | 306 | 0 | 0 | 1'735 | 28'996 | 4'993 | |
| BREITFLACHSTAHL (< 600 mm breit) | 7211 | 3'969 | 516 | 1'248 | 0 | 0 | 584 | 40 | 0 | 0 | 0 | 12 | 375 | 0 | 0 | 96 | 6'839 | 24'082 | |
| FLACHPRODUKTE | | 133'772 | 17'591 | 77'171 | 9'299 | 50'637 | 41'460 | 1'008 | 209 | 3'013 | 2'384 | 2'038 | 1'765 | 2'932 | 304 | 11'490 | 355'072 | 38'384 | |
| ARMIERUNGSSTAHL IN RINGEN, WILD AUFGEHASPELT | 7213 | 54'579 | 35'356 | 22'055 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2'265 | 0 | 0 | 0 | 317 | 114'573 | 49'512 | |
| WALZDRAHT | 7213 | 11'508 | 9'157 | 6'549 | 18 | 0 | 363 | 0 | 0 | 0 | 0 | 362 | 8 | 0 | 0 | 26 | 27'991 | 86'782 | |
| STABSTAHL GESCHMIEDET | 7214 | 305 | 0 | 494 | 48 | 0 | 65 | 0 | 0 | 0 | 0 | 0 | 73 | 0 | 0 | 409 | 1'393 | 113 | |
| ARMIERUNGSSTAHL IN STANGEN UND KALT UMGEHASPELTEN RINGEN | 7214 | 29'016 | 2'362 | 60'257 | 0 | 0 | 68 | 0 | 0 | 0 | 0 | 4 | 118 | 0 | 0 | 1'021 | 92'846 | 8'868 | |
| FLACH-, VIERKANT- UND RUNDSTAHL | 7214 | 5'146 | 2'524 | 7'845 | 68 | 173 | 156 | 2'082 | 6 | 2 | 0 | 408 | 1'110 | 0 | 0 | 2'947 | 22'466 | 61'213 | |
| STABSTAHL, KALT VERFORMT | 7215 | 11'999 | 946 | 8'315 | 23 | 2'841 | 505 | 119 | 83 | 22 | 0 | 606 | 226 | 0 | 0 | 755 | 26'440 | 26'179 | |
| U-,COULISSEN-, DOPPELT-T-STAHL, ENGL. TRAEGER 76,4 | 7216 | 20 | 230 | 144 | 7 | 0 | 4 | 1 | 42 | 0 | 0 | 0 | 5 | 0 | 0 | 2 | 455 | 51 | |
| WINKELSTAHL < 80 mm BREITE | 7216 | 52 | 471 | 871 | 0 | 5 | 7 | 5 | 0 | 0 | 0 | 10 | 14 | 0 | 0 | 18 | 1'452 | 74 | |
| T-STAHL < 80 mm BREITE | 7216 | 678 | 135 | 250 | 0 | 7 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 96 | 1'173 | 25 | |
| FORMSTAHL UNP, UPE | 7216 | 4'279 | 114 | 430 | 8 | 227 | 78 | 0 | 0 | 0 | 0 | 412 | 0 | 0 | 0 | 371 | 5'919 | 1'225 | |
| FORMSTAHL TRÄGER INP, IPE, IPER | 7216 | 8'746 | 270 | 1'134 | 0 | 3'031 | 281 | 0 | 0 | 0 | 0 | 387 | 9 | 0 | 0 | 385 | 14'243 | 5'737 | |
| BREITFLANSCHTRÄGER HE | 7216 | 22'064 | 222 | 5'240 | 0 | 12'916 | 705 | 47 | 0 | 0 | 0 | 1'467 | 0 | 0 | 0 | 299 | 42'959 | 13'544 | |
| WINKEL- + T-STAHL > 80 mm BREITE | 7216 | 129 | 360 | 1'559 | 0 | 75 | 62 | 145 | 0 | 0 | 0 | 65 | 45 | 0 | 0 | 359 | 2'799 | 2'408 | |
| Z-STAHL, HANDSCHINIENSTAHL, SCHACHTRAHMENSTAHL | 7213+7214 | 2'185 | 54 | 1'000 | 0 | 2 | 100 | 0 | 0 | 0 | 0 | 281 | 335 | 0 | 0 | 181 | 4'137 | 6'630 | |
| KALTGEROLLTE PROFILE | 7216 | 2'860 | 329 | 1'117 | 12 | 140 | 1'185 | 7 | 2 | 0 | 0 | 129 | 1'152 | 334 | 0 | 164 | 7'431 | 14'896 | |
| ÄNDERE PROFILE | 7215+7216 | 4'178 | 1'183 | 32'817 | 322 | 356 | 805 | 0 | 96 | 1 | 0 | 672 | 186 | 417 | 0 | 478 | 41'509 | 754 | |
| SPUNDWÄNDE | 7301 | 4'487 | 148 | 1'879 | 31 | 3'983 | 1'929 | 0 | 0 | 0 | 0 | 13 | 580 | 0 | 0 | 364 | 13'414 | 494 | |
| GESCHWEISSTE PROFILE | 7301 | 199 | 1 | 1'904 | 6 | 1 | 1'543 | 1 | 1 | 1 | 3 | 0 | 15 | 0 | 0 | 8 | 3'684 | 1'452 | |
| SCHIENEN | 7302 | 430 | 1'440 | 10'996 | 0 | 32 | 16'076 | 0 | 0 | 0 | 0 | 91 | 36 | 0 | 0 | 172 | 29'272 | 139 | |
| LANGPRODUKTE | | 162'860 | 55'303 | 164'856 | 544 | 23'790 | 23'939 | 2'406 | 229 | 25 | 3 | 7'171 | 3'910 | 751 | 0 | 8'369 | 454'156 | 280'094 | |

| | | | | | | | | | | | | | | | | | | |
|--|-----------|---------|---------|---------|--------|---------|---------|--------|-----|-------|--------|--------|-------|-------|-------|---------|-----------|---------|
| RÖHREN, SCHWARZ, GESCHWEISST, BIS 100 mm INNEN ø | 7306 | 837 | 1 | 2'384 | 19 | 4 | 259 | 0 | 9 | 0 | 0 | 396 | 38 | 0 | 0 | 502 | 4'449 | 30'252 |
| RÖHREN, SCHWARZ, GESCHWEISST, >100mm INNEN ø | 7306 | 1'814 | 30 | 2'112 | 294 | 1 | 45 | 10 | 0 | 5 | 72 | 135 | 0 | 0 | 0 | 144 | 4'664 | 1'179 |
| RÖHREN, BESCHICHTET, GESCHWEISST, BIS 100 mm INNEN ø | 7306 | 1'270 | 1 | 4'766 | 652 | 3 | 508 | 17 | 6 | 20 | 11 | 1 | 96 | 0 | 2 | 641 | 7'994 | 257 |
| RÖHREN, BESCHICHTET, GESCHWEISST, >100 mm INNEN ø | 7306 | 2'308 | 26 | 1'391 | 47 | 1 | 172 | 6 | 0 | 0 | 16 | 0 | 24 | 0 | 0 | 214 | 4'206 | 47 |
| RÖHREN, SCHWARZ, NAHTLOS, BIS 100 mm INNEN ø | 7304 | 1'129 | 18 | 268 | 0 | 0 | 37 | 0 | 0 | 8 | 3 | 57 | 192 | 200 | 0 | 106 | 2'017 | 343 |
| RÖHREN, SCHWARZ, NAHTLOS, >100 mm INNEN ø | 7304 | 876 | 1 | 582 | 28 | 0 | 35 | 1 | 0 | 3 | 1 | 10 | 294 | 42 | 0 | 338 | 2'212 | 141 |
| RÖHREN, BESCHICHTET, NAHTLOS, BIS 100 mm INNEN ø | 7304 | 707 | 47 | 942 | 1 | 0 | 42 | 0 | 0 | 42 | 3 | 17 | 38 | 24 | 0 | 188 | 2'051 | 86 |
| RÖHREN, BESCHICHTET, NAHTLOS, >100 mm INNEN ø | 7304 | 256 | 0 | 449 | 0 | 0 | 8 | 1 | 0 | 14 | 0 | 0 | 66 | 0 | 0 | 117 | 911 | 21 |
| STAHLBAU, HOHLPROFILE | 7304+7306 | 3'146 | 283 | 13'120 | 190 | 183 | 4'338 | 2'280 | 1 | 0 | 53 | 130 | 59 | 0 | 0 | 626 | 24'409 | 10'203 |
| RÖHREN / HOHLPROFILE | | 12'342 | 407 | 26'016 | 1'230 | 191 | 5'444 | 2'315 | 15 | 93 | 158 | 747 | 809 | 267 | 3 | 2'875 | 52'914 | 42'529 |
| STAHLDRAHNETZE | 7314 | 2'922 | 433 | 5'415 | 79 | 47 | 12 | 22 | 15 | 181 | 0 | 2 | 78 | 7 | 0 | 372 | 9'584 | 7'244 |
| ROSTFREIER STAHL FLACHPRODUKTE | 7219+7220 | 10'632 | 5'720 | 7'816 | 832 | 4'485 | 591 | 64 | 3 | 1'385 | 7'370 | 1'150 | 113 | 20 | 351 | 14'723 | 55'257 | 2'985 |
| ROSTFREIER STAHL LANGPRODUKTE | 7222+7223 | 4'937 | 825 | 4'826 | 8 | 83 | 2'094 | 116 | 168 | 598 | 5 | 1'641 | 57 | 3 | 72 | 2'508 | 17'840 | 19'638 |
| ROSTFREIER STAHL RÖHREN | 7304+7306 | 3'326 | 184 | 4'387 | 49 | 2 | 403 | 18 | 7 | 200 | 419 | 211 | 9 | 2 | 47 | 889 | 10'151 | 22'514 |
| ANDERER LEGIERTER STAHL FLACHPRODUKTE | 7225+7226 | 70'761 | 4'101 | 3'075 | 2'396 | 4'555 | 24'246 | 3 | 3 | 2'253 | 794 | 59 | 413 | 3'086 | 1'145 | 11'532 | 128'424 | 12'860 |
| ANDERER LEGIERTER STAHL LANGPRODUKTE | 7227+7228 | 9'125 | 258 | 2'615 | 1 | 1 | 2'759 | 4 | 0 | 145 | 46 | 373 | 1'242 | 2 | 165 | 2'287 | 19'023 | 55'654 |
| ANDERER LEGIERTER STAHL RÖHREN | 7304 | 217 | 61 | 14 | 0 | 0 | 105 | 0 | 0 | 13 | 0 | 0 | 4 | 0 | 0 | 645 | 1'060 | 31 |
| DIVERSER STAHL | | 101'819 | 11'583 | 28'147 | 3'364 | 9'172 | 30'212 | 227 | 196 | 4'776 | 8'634 | 3'436 | 1'917 | 3'119 | 1'781 | 32'955 | 241'339 | 120'926 |
| ALUMINIUM (INKL. -LEGIERUNGEN) STÄBE, PROFILE | 7604 | 13'184 | 613 | 5'646 | 322 | 530 | 4'027 | 21 | 95 | 121 | 57 | 712 | 976 | 28 | 7 | 8'434 | 34'774 | 21'024 |
| ALUMINIUM (INKL. -LEGIERUNGEN) BLECHE, BÄNDER | 7606 | 20'049 | 13'628 | 9'511 | 554 | 1'691 | 2'065 | 142 | 36 | 62 | 5 | 5'489 | 104 | 2'359 | 2 | 42'336 | 98'032 | 127'340 |
| ALUMINIUM (INKL. -LEGIERUNGEN) FOLIEN | 7607 | 20'789 | 151 | 1'778 | 544 | 765 | 2'231 | 16 | 14 | 3 | 0 | 214 | 1 | 22 | 1 | 6'182 | 32'710 | 11'264 |
| ALUMINIUM (INKL. -LEGIERUNGEN) ROHRE | 7608 | 345 | 17 | 511 | 2 | 7 | 46 | 0 | 21 | 0 | 0 | 7 | 210 | 0 | 0 | 648 | 1'816 | 1'780 |
| ALUMINIUM | | 54'366 | 14'409 | 17'445 | 1'421 | 2'994 | 8'369 | 179 | 167 | 185 | 62 | 6'422 | 1'291 | 2'410 | 10 | 57'600 | 167'332 | 161'409 |
| ROHBLEI | 7801 | 129 | 3 | 0 | 0 | 170 | 0 | 50 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 350 | 702 | 820 |
| BLEI ALS PLATTEN, BLECHE, BÄNDER | 7804 | 376 | 1 | 2 | 0 | 0 | 0 | 9 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 1 | 390 | 1 |
| BLEI | | 505.226 | 3.452 | 2.047 | 0.276 | 169.831 | 0 | 59.069 | 0 | 0 | 0 | 1.52 | 0 | 0 | 0 | 350.991 | 1092.412 | 820.6 |
| GESAMTTOTAL | | 634'213 | 156'937 | 332'662 | 16'016 | 87'120 | 143'172 | 6'275 | 817 | 8'093 | 11'241 | 19'836 | 9'713 | 9'479 | 2'098 | 115'089 | 1'552'761 | 994'437 |
| ANTEIL IN PROZENT | | 41% | 10% | 21% | 1% | 6% | 9% | 0% | 0% | 1% | 1% | 1% | 1% | 1% | 0% | 7% | | |

| | | | | | | | | | | | | | | | | | | |
|--|--|---------|---------|---------|--------|--------|---------|-------|-----|-------|--------|--------|-------|-------|-------|---------|-----------|---------|
| ROHEISEN, SCHROTT, HALBZEUG | | 168'548 | 57'639 | 19'025 | 156 | 166 | 33'749 | 80 | 1 | 0 | 0 | 20 | 21 | 0 | 1 | 1'449 | 280'856 | 350'274 |
| FLACH-, LANGPRODUKTE, RÖHREN / HOHLPROFILE, DIV. STAHL | | 410'793 | 84'885 | 296'189 | 14'438 | 83'790 | 101'054 | 5'956 | 649 | 7'907 | 11'179 | 13'392 | 8'400 | 7'070 | 2'088 | 55'689 | 1'103'481 | 481'933 |
| ALUMINIUM | | 54'366 | 14'409 | 17'445 | 1'421 | 2'994 | 8'369 | 179 | 167 | 185 | 62 | 6'422 | 1'291 | 2'410 | 10 | 57'600 | 167'332 | 161'409 |
| BLEI | | 505 | 3 | 2 | 0 | 170 | 0 | 59 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 351 | 1'092 | 821 |
| GESAMTTOTAL | | 634'213 | 156'937 | 332'662 | 16'016 | 87'120 | 143'172 | 6'275 | 817 | 8'093 | 11'241 | 19'836 | 9'713 | 9'479 | 2'098 | 115'089 | 1'552'761 | 994'437 |

IMPORTE SCHWEIZ - SIDERURGISCHE ERZEUGNISSE

| MATERIAL | ZOLL-POS. | Monat | Kumuliert | Vorjahr | |
|--|-----------|--------|-----------|---------|---------|
| | | IMP | IMP | IMP | |
| ROHEISEN | 7201 | 1'117 | 4'831 | 6'372 | -24% |
| SCHROTT | 7204 | 55'818 | 255'727 | 339'375 | -25% |
| ROHSTAHL, BLÖCKE | 7206 | 10 | 237 | 102 | 133% |
| ROHSTAHL, KNÜPPEL | 7207 | 4'264 | 20'060 | 18'740 | 7% |
| ROHEISEN, SCHROTT, HALBZEUG | | 61'210 | 280'856 | 364'589 | -23% |
| STAHLBLECHE, WARMGEW., ROLLEN, SCHWARZ (>= 600 mm) | 7208 | 806 | 15'367 | 6'663 | 131% |
| SPALTBAND, WARMGEW., ROLLEN, SCHWARZ (< 600 mm) | 7211 | 5'483 | 23'367 | 23'753 | -2% |
| STAHLBLECHE, WARMGEW., ROLLEN, DEK. (>= 600 mm) | 7208 | 4'145 | 22'496 | 29'195 | -23% |
| SPALTBAND, WARMGEW., ROLLEN, DEK. (< 600 mm) | 7211 | 3'887 | 22'344 | 21'464 | 4% |
| STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) | 7208 | 616 | 8'727 | 2'986 | 192% |
| Naturwalzkanten, <= 1250 mm, >= 4 mm | 7208 | 4'402 | 24'927 | 28'097 | -11% |
| STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) | 7208 | 175 | 6'697 | 375 | 1686% |
| Grobbleche >= 4,75 mm | 7208 | 376 | 5'427 | 3'785 | 43% |
| STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) | 7208 | 4'038 | 21'842 | 22'883 | -5% |
| Grobbleche >= 4,75 mm | 7208 | 206 | 1'257 | 762 | 65% |
| STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) | 7208 | 453 | 1'642 | 2'452 | -33% |
| Mittelbleche 3 - < 4,75 mm | 7208 | 4'609 | 26'813 | 26'307 | 2% |
| DIV. STAHLBLECHE IN TAFELN + ROLLEN WARMGEW. | 7209 | 3'353 | 20'334 | 26'932 | -24% |
| STAHLBLECHE, KALTGEW., ROLLEN, SCHWARZ (>= 600 mm) | 7209 | 98 | 682 | 207 | 229% |
| SPALTBAND, KALTGEWALZT, ROLLEN, SCHWARZ (< 600 mm) | 7211 | 1'599 | 9'457 | 7'646 | 24% |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) | 7209 | 215 | 1'507 | 1'749 | -14% |
| >= 3 mm dick | 7209 | 0 | 14'251 | 5 | 265138% |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) | 7209 | 50 | 505 | 990 | -49% |
| > 1 - < 3mm dick | 7209 | 1'627 | 10'327 | 4'742 | 118% |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) | 7209 | 1'864 | 20'755 | 11'401 | 82% |
| >= 0,5 - <= 1 mm dick | 7209 | 12'226 | 58'230 | 70'827 | -18% |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) | 7209 | 86 | 2'260 | 242 | 835% |
| < 0.5 mm dick | 7209 | 9 | 21 | 37 | -45% |
| DIVERSE STAHLBLECHE IN TAFELN + ROLLEN, KALTGEWALZT | 7209 | 3'389 | 28'996 | 21'812 | 33% |
| STAHLBLECHE, VERZINNT | 7210+7212 | 493 | 6'839 | 2'701 | 153% |
| STAHLBLECHE, ELEKTROLYTISCH VERZINKT | 7210+7212 | 54'205 | 355'072 | 318'012 | 12% |
| STAHLBLECHE, SENDZIMIR-VERZINKT | 7210+7212 | 20'728 | 114'573 | 107'051 | 7% |
| STAHLBLECHE ÜBERZOGEN (AL) | 7210 | 4'753 | 27'991 | 36'459 | -23% |
| WELLBLECHE | 7210 | 244 | 1'393 | 537 | 159% |
| STAHLBLECHE LACKIERT, BEMALT ODER KUNSTSTOFFBESCHICHTET | 7210+7212 | 17'137 | 92'846 | 89'223 | 4% |
| BREITFLACHSTAHL (< 600 mm breit) | 7211 | 4'199 | 22'466 | 26'255 | -14% |
| FLACHPRODUKTE | | 2'272 | 26'440 | 12'766 | 107% |
| ARMIERUNGSSTAHL IN RINGEN, WILD AUFGEHASPELT | 7213 | 48 | 455 | 368 | 23% |
| WALZDRAHT | 7214 | 244 | 1'452 | 1'622 | -11% |
| STABSTAHL GESCHMIEDET | 7214 | 57 | 1'173 | 454 | 159% |
| ARMIERUNGSSTAHL IN STANGEN UND KALT UMGEHASPELTEN RINGEN | 7214 | 955 | 5'919 | 6'186 | -4% |
| FLACH-, VIERKANT- UND RUNDSTAHL | 7214 | 1'759 | 14'243 | 9'671 | 47% |
| STABSTAHL, KALT VERFORMT | 7215 | 10'501 | 42'959 | 49'377 | -13% |
| U-, COULISSEN-, DOPPELT-T-STAH, ENGL. TRAEGER 76,4 | 7216 | 569 | 2'799 | 3'116 | -10% |
| WINKELSTAHL < 80 mm BREITE | 7216 | 175 | 4'137 | 275 | 1403% |
| T-STAH < 80 mm BREITE | 7216 | 1'646 | 7'431 | 8'847 | -16% |
| FORMSTAHL UNP, UPE | 7216 | 654 | 41'509 | 4'377 | 848% |
| FORMSTAHL TRÄGER INP, IPE, IPER | 7216 | 904 | 13'414 | 8'944 | 50% |
| BREITFLANSCHTRÄGER HE | 7301 | 43 | 3'684 | 286 | 1190% |
| WINKEL- + T-STAH > 80 mm BREITE | 7216 | 6'324 | 29'272 | 33'408 | -12% |
| Z-STAH, HANDSCHINIENSTAHL, SCHACHTRAHMENSTAHL | 7213+7214 | 73'212 | 454'156 | 399'223 | 14% |
| KALTGEROLLTE PROFILE | 7216 | | | | |
| ANDERE PROFILE | 7215+7216 | | | | |
| SPUNDWÄNDE | 7301 | | | | |
| GESCHWEISSTE PROFILE | 7301 | | | | |
| SCHIENEN | 7302 | | | | |
| LANGPRODUKTE | | | | | |

| Monat | Kumuliert | Vorjahr | |
|--------|-----------|---------|----------|
| EXP | EXP | EXP | |
| 0 | 7 | 53 | -87% |
| 55'544 | 301'058 | 431'515 | -30% |
| 0 | 6 | 3 | 116% |
| 8'095 | 49'203 | 57'317 | -14% |
| 63'639 | 350'274 | 488'888 | -28% |
| 0 | 69 | 92 | -25% |
| 0 | 362 | 49 | 635% |
| 0 | 8 | 302 | -97% |
| 32 | 792 | 849 | -7% |
| 64 | 600 | 143 | 320% |
| 118 | 590 | 427 | 38% |
| 1 | 63 | 15 | 332% |
| 3 | 152 | 145 | 5% |
| 229 | 1'237 | 2'492 | -50% |
| 20 | 42 | 75 | -44% |
| 56 | 230 | 308 | -25% |
| 1 | 167 | 172 | -2% |
| 367 | 1'917 | 1'830 | 5% |
| 2 | 14 | 15 | -1% |
| 43 | 260 | 756 | -66% |
| 3 | 20 | 75 | -73% |
| 0 | 488 | 0 | 3488250% |
| 1 | 3 | 7 | -55% |
| 0 | 266 | 186 | 43% |
| 25 | 381 | 302 | 26% |
| 166 | 1'277 | 2'494 | -49% |
| 0 | 366 | 15 | 2313% |
| 0 | 0 | 390 | -100% |
| 506 | 4'993 | 2'746 | 82% |
| 3'841 | 24'082 | 25'644 | -6% |
| 5'477 | 38'384 | 39'530 | -3% |
| 7'925 | 49'512 | 69'644 | -29% |
| 14'186 | 86'782 | 114'989 | -25% |
| 0 | 113 | 0 | 33690% |
| 18 | 8'868 | 452 | 1862% |
| 11'110 | 61'213 | 54'817 | 12% |
| 3'467 | 26'179 | 26'854 | -3% |
| 16 | 51 | 107 | -52% |
| 26 | 74 | 93 | -20% |
| 1 | 25 | 39 | -37% |
| 21 | 1'225 | 31 | 3891% |
| 247 | 5'737 | 1'284 | 347% |
| 273 | 13'544 | 16'267 | -17% |
| 132 | 2'408 | 2'455 | -2% |
| 0 | 6'630 | 4 | 169890% |
| 2'761 | 14'896 | 11'465 | 30% |
| 144 | 754 | 797 | -5% |
| 0 | 494 | 522 | -5% |
| 265 | 1'452 | 2'047 | -29% |
| 11 | 139 | 730 | -81% |
| 40'604 | 280'094 | 302'595 | -7% |

| | | | | | |
|--|-----------|---------|-----------|-----------|------|
| RÖHREN, SCHWARZ, GESCHWEISST, BIS 100 mm INNEN ø | 7306 | 779 | 4'449 | 5'218 | -15% |
| RÖHREN, SCHWARZ, GESCHWEISST, >100mm INNEN ø | 7306 | 564 | 4'664 | 5'240 | -11% |
| RÖHREN, BESCHICHTET, GESCHWEISST, BIS 100 mm INNEN ø | 7306 | 1'185 | 7'994 | 8'605 | -7% |
| RÖHREN, BESCHICHTET, GESCHWEISST, >100 mm INNEN ø | 7306 | 964 | 4'206 | 4'087 | 3% |
| RÖHREN, SCHWARZ, NAHTLOS, BIS 100 mm INNEN ø | 7304 | 373 | 2'017 | 2'049 | -2% |
| RÖHREN, SCHWARZ, NAHTLOS, >100 mm INNEN ø | 7304 | 307 | 2'212 | 2'137 | 4% |
| RÖHREN, BESCHICHTET, NAHTLOS, BIS 100 mm INNEN ø | 7304 | 370 | 2'051 | 2'337 | -12% |
| RÖHREN, BESCHICHTET, NAHTLOS, >100 mm INNEN ø | 7304 | 158 | 911 | 1'582 | -42% |
| STAHLBAU, HOHLPROFILE | 7304+7306 | 4'272 | 24'409 | 27'034 | -10% |
| RÖHREN / HOHLPROFILE | | 8'972 | 52'914 | 58'290 | -9% |
| STAHLDRAHNETZE | 7314 | 1'326 | 9'584 | 10'180 | -6% |
| ROSTFREIER STAHL FLACHPRODUKTE | 7219+7220 | 8'404 | 55'257 | 46'811 | 18% |
| ROSTFREIER STAHL LANGPRODUKTE | 7222+7223 | 2'187 | 17'840 | 14'650 | 22% |
| ROSTFREIER STAHL RÖHREN | 7304+7306 | 1'563 | 10'151 | 10'465 | -3% |
| ANDERER LEGIERTER STAHL FLACHPRODUKTE | 7225+7226 | 21'849 | 128'424 | 113'871 | 13% |
| ANDERER LEGIERTER STAHL LANGPRODUKTE | 7227+7228 | 3'498 | 19'023 | 19'155 | -1% |
| ANDERER LEGIERTER STAHL RÖHREN | 7304 | 123 | 1'060 | 827 | 28% |
| DIVERSER STAHL | | 38'949 | 241'339 | 215'959 | 12% |
| ALUMINIUM (INKL. -LEGIERUNGEN) STÄBE, PROFILE | 7604 | 6'711 | 34'774 | 31'234 | 11% |
| ALUMINIUM (INKL. -LEGIERUNGEN) BLECHE, BÄNDER | 7606 | 16'455 | 98'032 | 92'197 | 6% |
| ALUMINIUM (INKL. -LEGIERUNGEN) FOLIEN | 7607 | 6'006 | 32'710 | 34'138 | -4% |
| ALUMINIUM (INKL. -LEGIERUNGEN) ROHRE | 7608 | 432 | 1'816 | 1'459 | 24% |
| ALUMINIUM | | 29'604 | 167'332 | 159'027 | 5% |
| ROHBLEI | 7801 | 146 | 702 | 1'113 | -37% |
| BLEI ALS PLATTEN, BLECHE, BÄNDER | 7804 | 44 | 390 | 313 | 25% |
| BLEI | | 190.245 | 1092.412 | 1426.46 | -23% |
| GESAMTTOTAL | | 266'343 | 1'552'761 | 1'516'525 | 2% |

| | | | |
|---------|---------|-----------|--------|
| 6'084 | 30'252 | 36'714 | -18% |
| 264 | 1'179 | 1'140 | 3% |
| 3 | 257 | 16 | 1542% |
| 21 | 47 | 12 | 299% |
| 78 | 343 | 593 | -42% |
| 15 | 141 | 89 | 60% |
| 5 | 86 | 31 | 182% |
| 3 | 21 | 25 | -17% |
| 1'854 | 10'203 | 11'380 | -10% |
| 8'327 | 42'529 | 49'998 | -15% |
| 939 | 7'244 | 6'704 | 8% |
| 349 | 2'985 | 3'509 | -15% |
| 2'277 | 19'638 | 16'855 | 17% |
| 4'374 | 22'514 | 30'653 | -27% |
| 900 | 12'860 | 5'518 | 133% |
| 8'606 | 55'654 | 63'015 | -12% |
| 11 | 31 | 71 | -56% |
| 17'457 | 120'926 | 126'325 | -4% |
| 3'438 | 21'024 | 23'037 | -9% |
| 23'173 | 127'340 | 153'957 | -17% |
| 1'885 | 11'264 | 9'697 | 16% |
| 379 | 1'780 | 1'630 | 9% |
| 28'874 | 161'409 | 188'320 | -14% |
| 0 | 820 | 3 | 28899% |
| 0 | 1 | 0 | 125% |
| 0.208 | 820.6 | 3.184 | 25673% |
| 164'379 | 994'437 | 1'195'661 | -17% |

| | | | | |
|--|---------|-----------|-----------|------|
| ROHEISEN, SCHROTT, HALBZEUG | 61'210 | 280'856 | 364'589 | -23% |
| FLACH-, LANGPRODUKTE, RÖHREN / HOHLPROFILE, DIV. STAHL | 175'339 | 1'103'481 | 991'483 | 11% |
| ALUMINIUM | 29'604 | 167'332 | 159'027 | 5% |
| BLEI | 190 | 1'092 | 1'426 | -23% |
| GESAMTTOTAL | 266'343 | 1'552'761 | 1'516'525 | 2% |

| | | | |
|---------|---------|-----------|--------|
| 63'639 | 350'274 | 488'888 | -28% |
| 71'865 | 481'933 | 518'449 | -7% |
| 28'874 | 161'409 | 188'320 | -14% |
| 0 | 821 | 3 | 25673% |
| 164'379 | 994'437 | 1'195'661 | -17% |