

| MATERIAL | ZOLL-POS. | 111 BRD | 112 F | 113 I | 114 NL | 115 BE/LUX | 121 OE | 122 GB | 123 DK | 125 S | 127 SF | 145 E | 154 TS | 156 SL | 387 JAP. | DIV. | IMPORT | EXPORT | |
|--|-----------|---------|-------|--------|--------|------------|--------|--------|--------|-------|--------|-------|--------|--------|----------|-------|--------|--------|---|
| ROHEISEN | 7201 | 681 | 0 | 0 | 208 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 296 | 1'184 | 2 |
| SCHROTT | 7204 | 25'340 | 8'082 | 1 | 0 | 2'198 | 6'447 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 42'069 | 60'905 | 0 |
| ROHSTAHL, BLÖCKE | 7206 | 0 | 0 | 29 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 32 | 0 |
| ROHSTAHL, KNÜPPEL | 7207 | 3'379 | 5 | 1'726 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 31 | 0 | 0 | 11 | 5'155 | 16'012 | 0 |
| ROHEISEN, SCHROTT, HALBZEUG | | 29'400 | 8'088 | 1'757 | 211 | 2'198 | 6'447 | 1 | 0 | 0 | 0 | 31 | 0 | 0 | 0 | 309 | 48'440 | 76'919 | 0 |
| STAHLBLECHE, WARMGEW., ROLLEN, SCHWARZ (>= 600 mm) | 7208 | 663 | 18 | 317 | 0 | 146 | 516 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1'661 | 0 |
| SPALTBAND, WARMGEW., ROLLEN, SCHWARZ (< 600 mm) | 7211 | 4'540 | 0 | 142 | 0 | 0 | 474 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 33 | 5'193 | 4 | 0 |
| STAHLBLECHE, WARMGEW., ROLLEN, DEK. (>= 600 mm) | 7208 | 445 | 881 | 567 | 117 | 679 | 1'380 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 4'070 | 49 | 0 |
| SPALTBAND, WARMGEW., ROLLEN, DEK. (< 600 mm) | 7211 | 3'191 | 3 | 863 | 0 | 83 | 822 | 24 | 0 | 0 | 0 | 167 | 2 | 0 | 0 | 37 | 5'191 | 11 | 0 |
| STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) | 7208 | 173 | 0 | 144 | 9 | 21 | 0 | 0 | 0 | 0 | 0 | 0 | 74 | 39 | 0 | 0 | 461 | 6 | 0 |
| STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) | 7208 | 1'427 | 25 | 3'166 | 33 | 279 | 266 | 23 | 1 | 38 | 123 | 0 | 8 | 5 | 0 | 201 | 5'595 | 31 | 0 |
| STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) | 7208 | 0 | 0 | 56 | 0 | 24 | 19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 99 | 1 | 0 |
| STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) | 7208 | 160 | 5 | 159 | 0 | 27 | 1 | 0 | 0 | 2 | 8 | 0 | 8 | 85 | 0 | 35 | 491 | 11 | 0 |
| STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) | 7208 | 1'033 | 205 | 1'371 | 2 | 204 | 347 | 0 | 0 | 66 | 198 | 0 | 13 | 90 | 0 | 205 | 3'733 | 340 | 0 |
| STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) | 7208 | 33 | 0 | 57 | 0 | 0 | 82 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 127 | 299 | 0 | 0 |
| DIV. STAHLBLECHE IN TAFELN + ROLLEN WARMGEW. | 7208 | 30 | 7 | 17 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 68 | 205 | 0 | 2 | 332 | 62 | 0 |
| STAHLBLECHE, KALTGEW., ROLLEN, SCHWARZ (>= 600 mm) | 7209 | 567 | 0 | 263 | 141 | 2'501 | 428 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 315 | 4'214 | 2 | 0 |
| SPALTBAND, KALTGEWALZT, ROLLEN, SCHWARZ (< 600 mm) | 7211 | 3'136 | 89 | 199 | 0 | 113 | 28 | 0 | 0 | 21 | 0 | 2 | 0 | 0 | 0 | 60 | 3'647 | 402 | 0 |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) | 7209 | 0 | 0 | 5 | 0 | 0 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 | 0 | 0 |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) | 7209 | 664 | 0 | 364 | 0 | 0 | 132 | 0 | 0 | 0 | 0 | 0 | 0 | 209 | 0 | 151 | 1'521 | 48 | 0 |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) | 7209 | 276 | 0 | 61 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 26 | 0 | 3 | 367 | 16 | 0 | 0 |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) | 7209 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DIVERSE STAHLBLECHE IN TAFELN + ROLLEN, KALTGEWALZT | 7209 | 17 | 14 | 96 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 24 | 152 | 2 | 0 |
| STAHLBLECHE, VERZINNT | 7210+7212 | 435 | 0 | 68 | 0 | 188 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 327 | 1'019 | 2 | 0 |
| STAHLBLECHE, ELEKTROLYTISCH VERZINKT | 7210+7212 | 431 | 0 | 853 | 0 | 400 | 335 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 84 | 2'103 | 80 | 0 |
| STAHLBLECHE, SENDZIMIR-VERZINKT | 7210+7212 | 4'056 | 120 | 2'019 | 329 | 4'936 | 1'751 | 82 | 0 | 133 | 0 | 4 | 0 | 0 | 0 | 320 | 13'751 | 188 | 0 |
| STAHLBLECHE ÜBERZOGEN (AL) | 7210 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 0 |
| WELLBLECHE | 7210 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 |
| STAHLBLECHE LACKIERT, BEMALT ODER KUNSTSTOFFBESCHICHTET | 7210+7212 | 230 | 578 | 1'754 | 574 | 120 | 127 | 116 | 0 | 48 | 0 | 113 | 46 | 0 | 0 | 563 | 4'269 | 459 | 0 |
| BREITFLACHSTAHL (< 600 mm breit) | 7211 | 120 | 105 | 308 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 545 | 4'217 | 0 |
| FLACHPRODUKTE | | 21'631 | 2'049 | 12'849 | 1'206 | 9'722 | 6'720 | 247 | 2 | 308 | 329 | 286 | 225 | 660 | 0 | 2'495 | 58'729 | 5'937 | 0 |
| ARMIERUNGSSTAHL IN RINGEN, WILD AUFGEHASPELT | 7213 | 14'210 | 5'073 | 3'777 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 | 23'071 | 7'949 | 0 |
| WALZDRAHT | 7213 | 2'969 | 1'658 | 1'731 | 0 | 0 | 29 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6'388 | 15'166 | 0 |
| STABSTAHL GESCHMIEDET | 7214 | 0 | 0 | 10 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 72 | 87 | 1 | 0 |
| ARMIERUNGSSTAHL IN STANGEN UND KALT UMGEHASPELTEN RINGEN | 7214 | 4'794 | 388 | 10'860 | 0 | 0 | 30 | 0 | 0 | 0 | 0 | 0 | 47 | 0 | 0 | 249 | 16'368 | 47 | 0 |
| FLACH-, VIERKANT- UND RUNDSTAHL | 7214 | 641 | 578 | 1'342 | 0 | 8 | 31 | 235 | 1 | 0 | 0 | 178 | 61 | 0 | 0 | 971 | 4'046 | 5'277 | 0 |
| STABSTAHL, KALT VERFORMT | 7215 | 580 | 25 | 1'548 | 0 | 1 | 7 | 25 | 8 | 3 | 0 | 54 | 32 | 0 | 0 | 30 | 2'313 | 3'751 | 0 |
| U-, COULISSEN-, DOPPELT-T-STAHL, ENGL. TRAEGER 76,4 | 7216 | 3 | 38 | 14 | 0 | 0 | 0 | 0 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 72 | 7 | 0 |
| WINKELSTAHL < 80 mm BREITE | 7216 | 17 | 65 | 132 | 0 | 0 | 2 | 37 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 263 | 1 | 0 |
| T-STAHL < 80 mm BREITE | 7216 | 19 | 24 | 42 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 86 | 1 | 0 |
| FORMSTAHL UNP, UPE | 7216 | 739 | 0 | 98 | 0 | 25 | 46 | 0 | 0 | 0 | 0 | 65 | 0 | 0 | 0 | 87 | 1'061 | 4 | 0 |
| FORMSTAHL TRÄGER INP, IPE, IPER | 7216 | 753 | 0 | 123 | 0 | 903 | 54 | 0 | 0 | 0 | 0 | 202 | 0 | 0 | 0 | 236 | 2'270 | 174 | 0 |
| BREITFLANSCHTRÄGER HE | 7216 | 4'898 | 56 | 1'385 | 24 | 2'727 | 179 | 0 | 0 | 0 | 0 | 1'035 | 20 | 0 | 0 | 103 | 10'426 | 967 | 0 |
| WINKEL- + T-STAHL > 80 mm BREITE | 7216 | 58 | 78 | 242 | 0 | 49 | 9 | 84 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 40 | 561 | 27 | 0 |
| Z-STAHL, HANDSCHINIENSTAHL, SCHACHTRAHMENSTAHL | 7213+7214 | 169 | 0 | 45 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 223 | 0 | 0 |
| KALTGEROLLTE PROFILE | 7216 | 583 | 5 | 245 | 17 | 0 | 139 | 2 | 0 | 0 | 0 | 0 | 217 | 103 | 0 | 54 | 1'366 | 2'815 | 0 |
| ANDERE PROFILE | 7215+7216 | 463 | 166 | 82 | 0 | 102 | 3 | 0 | 25 | 8 | 0 | 67 | 0 | 1 | 0 | 31 | 950 | 61 | 0 |
| SPUNDWÄNDE | 7301 | 136 | 0 | 0 | 0 | 997 | 60 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1'194 | 97 | 0 |
| GESCHWEISSTE PROFILE | 7301 | 17 | 2 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 4 | 32 | 240 | 0 |
| SCHIENEN | 7302 | 6 | 7 | 987 | 0 | 28 | 2'606 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 3'639 | 82 | 0 |
| LANGPRODUKTE | | 31'053 | 8'163 | 22'671 | 42 | 4'842 | 3'198 | 383 | 50 | 11 | 1 | 1'607 | 388 | 104 | 0 | 1'901 | 74'414 | 36'669 | 0 |

| | | | | | | | | | | | | | | | | | | |
|--|-----------|---------|--------|--------|-------|--------|--------|-------|-----|-------|-------|-------|-------|-------|-----|--------|---------|---------|
| RÖHREN, SCHWARZ, GESCHWEISST, BIS 100 mm INNEN ø | 7306 | 103 | 0 | 364 | 0 | 0 | 53 | 0 | 0 | 0 | 0 | 28 | 0 | 0 | 0 | 257 | 804 | 5'997 |
| RÖHREN, SCHWARZ, GESCHWEISST, >100mm INNEN ø | 7306 | 341 | 0 | 210 | 0 | 0 | 4 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 42 | 600 | 205 |
| RÖHREN, BESCHICHTET, GESCHWEISST, BIS 100 mm INNEN ø | 7306 | 338 | 0 | 737 | 228 | 0 | 30 | 0 | 0 | 11 | 0 | 0 | 47 | 0 | 0 | 111 | 1'502 | 15 |
| RÖHREN, BESCHICHTET, GESCHWEISST, >100 mm INNEN ø | 7306 | 444 | 1 | 156 | 0 | 0 | 106 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 43 | 749 | 4 |
| RÖHREN, SCHWARZ, NAHTLOS, BIS 100 mm INNEN ø | 7304 | 246 | 0 | 64 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 7 | 3 | 34 | 0 | 45 | 401 | 32 |
| RÖHREN, SCHWARZ, NAHTLOS, >100 mm INNEN ø | 7304 | 125 | 0 | 111 | 2 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 76 | 3 | 0 | 17 | 337 | 15 |
| RÖHREN, BESCHICHTET, NAHTLOS, BIS 100 mm INNEN ø | 7304 | 87 | 0 | 314 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 67 | 472 | 6 |
| RÖHREN, BESCHICHTET, NAHTLOS, >100 mm INNEN ø | 7304 | 13 | 0 | 193 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 4 | 212 | 2 |
| STAHLBAU, HOHLPROFILE | 7304+7306 | 516 | 46 | 2'511 | 22 | 3 | 505 | 496 | 0 | 7 | 15 | 1 | 5 | 0 | 0 | 105 | 4'233 | 2'044 |
| RÖHREN / HOHLPROFILE | | 2'214 | 47 | 4'660 | 252 | 3 | 704 | 496 | 0 | 20 | 16 | 36 | 133 | 37 | 0 | 692 | 9'310 | 8'319 |
| STAHLDRAHNETZE | 7314 | 718 | 43 | 967 | 10 | 35 | 2 | 0 | 1 | 29 | 0 | 2 | 19 | 0 | 0 | 34 | 1'859 | 510 |
| ROSTFREIER STAHL FLACHPRODUKTE | 7219+7220 | 1'716 | 1'054 | 996 | 82 | 568 | 46 | 10 | 24 | 429 | 1'238 | 87 | 0 | 0 | 45 | 1'616 | 7'910 | 528 |
| ROSTFREIER STAHL LANGPRODUKTE | 7222+7223 | 658 | 292 | 908 | 1 | 1 | 70 | 3 | 31 | 136 | 11 | 152 | 14 | 0 | 6 | 359 | 2'641 | 3'183 |
| ROSTFREIER STAHL RÖHREN | 7304+7306 | 525 | 56 | 563 | 14 | 0 | 221 | 2 | 0 | 12 | 74 | 46 | 5 | 0 | 1 | 261 | 1'780 | 3'109 |
| ANDERER LEGIERTER STAHL FLACHPRODUKTE | 7225+7226 | 7'320 | 796 | 168 | 8 | 1'680 | 2'889 | 0 | 0 | 263 | 25 | 0 | 70 | 524 | 90 | 1'241 | 15'073 | 845 |
| ANDERER LEGIERTER STAHL LANGPRODUKTE | 7227+7228 | 1'363 | 35 | 365 | 0 | 0 | 678 | 0 | 0 | 30 | 0 | 39 | 70 | 0 | 0 | 329 | 2'910 | 6'163 |
| ANDERER LEGIERTER STAHL RÖHREN | 7304 | 111 | 24 | 2 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 194 | 337 | 8 |
| DIVERSER STAHL | | 12'410 | 2'300 | 3'968 | 113 | 2'284 | 3'906 | 15 | 55 | 903 | 1'350 | 327 | 178 | 524 | 141 | 4'034 | 32'510 | 14'346 |
| ALUMINIUM (INKL. -LEGIERUNGEN) STÄBE, PROFILE | 7604 | 2'211 | 72 | 800 | 84 | 100 | 784 | 2 | 6 | 2 | 8 | 38 | 131 | 39 | 0 | 1'408 | 5'685 | 3'494 |
| ALUMINIUM (INKL. -LEGIERUNGEN) BLECHE, BÄNDER | 7606 | 3'227 | 2'888 | 1'837 | 75 | 259 | 272 | 27 | 1 | 0 | 1 | 1'106 | 55 | 330 | 0 | 5'786 | 15'865 | 17'127 |
| ALUMINIUM (INKL. -LEGIERUNGEN) FOLIEN | 7607 | 3'973 | 30 | 360 | 122 | 265 | 446 | 0 | 1 | 1 | 0 | 18 | 0 | 4 | 0 | 1'015 | 6'237 | 1'728 |
| ALUMINIUM (INKL. -LEGIERUNGEN) ROHRE | 7608 | 67 | 1 | 40 | 0 | 0 | 12 | 0 | 6 | 0 | 0 | 0 | 46 | 0 | 0 | 69 | 241 | 267 |
| ALUMINIUM | | 9'478 | 2'992 | 3'038 | 281 | 623 | 1'514 | 30 | 13 | 3 | 9 | 1'162 | 232 | 373 | 1 | 8'278 | 28'028 | 22'615 |
| ROHBLEI | 7801 | 34 | 1 | 50 | 0 | 76 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 24 | 185 | 0 |
| BLEI ALS PLATTEN, BLECHE, BÄNDER | 7804 | 39 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 39 | 4 |
| BLEI | | 73.069 | 1.007 | 50.468 | 0 | 76.03 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 23.521 | 224.095 | 4.032 |
| GESAMTTOTAL | | 106'260 | 23'639 | 48'993 | 2'105 | 19'749 | 22'489 | 1'171 | 120 | 1'245 | 1'705 | 3'449 | 1'157 | 1'699 | 142 | 17'733 | 251'656 | 164'810 |
| ANTEIL IN PROZENT | | 42% | 9% | 19% | 1% | 8% | 9% | 0% | 0% | 0% | 1% | 1% | 0% | 1% | 0% | 7% | | |

| | | | | | | | | | | | | | | | | | | |
|--|--|---------|--------|--------|-------|--------|--------|-------|-----|-------|-------|-------|-------|-------|-----|--------|---------|---------|
| ROHEISEN, SCHROTT, HALBZEUG | | 29'400 | 8'088 | 1'757 | 211 | 2'198 | 6'447 | 1 | 0 | 0 | 0 | 31 | 0 | 0 | 0 | 309 | 48'440 | 76'919 |
| FLACH-, LANGPRODUKTE, RÖHREN / HOHLPROFILE, DIV. STAHL | | 67'309 | 12'558 | 44'148 | 1'613 | 16'852 | 14'528 | 1'141 | 107 | 1'242 | 1'696 | 2'256 | 925 | 1'326 | 141 | 9'122 | 174'963 | 65'272 |
| ALUMINIUM | | 9'478 | 2'992 | 3'038 | 281 | 623 | 1'514 | 30 | 13 | 3 | 9 | 1'162 | 232 | 373 | 1 | 8'278 | 28'028 | 22'615 |
| BLEI | | 73 | 1 | 50 | 0 | 76 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 24 | 224 | 4 |
| GESAMTTOTAL | | 106'260 | 23'639 | 48'993 | 2'105 | 19'749 | 22'489 | 1'171 | 120 | 1'245 | 1'705 | 3'449 | 1'157 | 1'699 | 142 | 17'733 | 251'656 | 164'810 |

| MATERIAL | ZOLL.-POS. | 111 BRD | 112 F | 113 I | 114 NL | 115 BE/LUX | 121 OE | 122 GB | 123 DK | 125 S | 127 SF | 145 E | 154 TS | 156 SL | 387 JAP. | DIV. | IMPORT | EXPORT |
|--|------------|------------|----------|----------|-----------|---------------|-----------|-----------|-----------|----------|-----------|----------|-----------|-----------|-------------|--------|---------|---------|
| ROHEISEN | 7201 | 5'171 | 0 | 195 | 260 | 25 | 221 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3'351 | 9'223 | 56 |
| ROHSTAHL, BLÖCKE | 7204 | 264'226 | 105'083 | 192 | 6'016 | 2'271 | 82'662 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 191 | 460'641 | 622'187 |
| ROHSTAHL, KNÜPPEL | 7206 | 13 | 35 | 83 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 134 | 3 |
| ROHSTAHL, KNÜPPEL | 7207 | 5'085 | 4'978 | 16'833 | 7 | 3 | 1 | 79 | 1 | 2 | 0 | 74 | 1 | 0 | 0 | 86 | 27'151 | 91'993 |
| ROHEISEN, SCHROTT, HALBZEUG | 7208 | 274'494 | 110'096 | 17'304 | 6'283 | 2'299 | 82'884 | 79 | 1 | 2 | 0 | 74 | 1 | 0 | 0 | 3'631 | 497'149 | 714'238 |
| STAHLBLECHE, WARMGEW., ROLLEN, SCHWARZ (>= 600 mm) | 7208 | 4'085 | 278 | 700 | 96 | 2'899 | 2'040 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 92 |
| SPALTBAND, WARMGEW., ROLLEN, SCHWARZ (< 600 mm) | 7211 | 25'691 | 4 | 2'570 | 0 | 0 | 6'915 | 0 | 3 | 0 | 0 | 6 | 70 | 0 | 0 | 100 | 35'359 | 54 |
| STAHLBLECHE, WARMGEW., ROLLEN, DEK. (>= 600 mm) | 7208 | 12'581 | 6'357 | 2'728 | 2'655 | 10'655 | 10'420 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 45'402 | 475 |
| SPALTBAND, WARMGEW., ROLLEN, DEK. (< 600 mm) | 7211 | 17'354 | 239 | 6'485 | 0 | 83 | 8'903 | 140 | 0 | 0 | 0 | 1'274 | 12 | 0 | 0 | 206 | 34'695 | 996 |
| STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) | 7208 | 1'201 | 50 | 1'514 | 150 | 161 | 536 | 0 | 10 | 71 | 71 | 0 | 154 | 300 | 0 | 127 | 4'345 | 167 |
| STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) | 7208 | 16'209 | 397 | 19'316 | 214 | 1'687 | 1'880 | 23 | 79 | 607 | 966 | 0 | 112 | 362 | 0 | 1'322 | 43'175 | 546 |
| STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) | 7208 | 24 | 5 | 134 | 0 | 570 | 19 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 755 | 20 |
| STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) | 7208 | 1'276 | 89 | 1'534 | 3 | 269 | 513 | 0 | 0 | 388 | 645 | 0 | 21 | 396 | 0 | 125 | 5'257 | 193 |
| STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) | 7208 | 8'986 | 1'045 | 11'952 | 509 | 1'171 | 6'364 | 0 | 4 | 1'707 | 1'179 | 0 | 32 | 571 | 19 | 1'079 | 34'618 | 3'400 |
| STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) | 7208 | 401 | 0 | 349 | 0 | 41 | 423 | 0 | 1 | 1 | 24 | 0 | 0 | 0 | 0 | 151 | 1'391 | 113 |
| DIV. STAHLBLECHE IN TAFELN + ROLLEN WARMGEW. | 7208 | 223 | 9 | 298 | 0 | 6 | 35 | 1 | 0 | 0 | 0 | 0 | 510 | 2'132 | 0 | 28 | 3'242 | 464 |
| STAHLBLECHE, KALTGEW., ROLLEN, SCHWARZ (>= 600 mm) | 7209 | 8'037 | 39 | 3'196 | 3'321 | 16'886 | 7'767 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 334 | 39'580 | 178 |
| SPALTBAND, KALTGEWALZT, ROLLEN, SCHWARZ (< 600 mm) | 7211 | 33'374 | 961 | 4'703 | 51 | 1'212 | 312 | 0 | 0 | 257 | 0 | 30 | 6 | 0 | 0 | 129 | 38'593 | 2'874 |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) | 7209 | 18 | 0 | 192 | 0 | 0 | 99 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 310 | 20 |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) | 7209 | 5'430 | 0 | 3'149 | 60 | 23 | 1'542 | 0 | 1 | 0 | 0 | 0 | 1'307 | 0 | 0 | 320 | 11'831 | 947 |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) | 7209 | 1'743 | 0 | 486 | 1 | 0 | 169 | 0 | 0 | 0 | 0 | 0 | 124 | 0 | 0 | 72 | 2'596 | 126 |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) | 7209 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 |
| DIVERSE STAHLBLECHE IN TAFELN + ROLLEN, KALTGEWALZT | 7209 | 93 | 178 | 980 | 0 | 0 | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 37 | 1'313 | 15 |
| STAHLBLECHE, VERZINNT | 7210+7212 | 5'141 | 0 | 163 | 0 | 585 | 3 | 7 | 7 | 0 | 0 | 57 | 0 | 0 | 0 | 1'424 | 7'386 | 191 |
| STAHLBLECHE, ELEKTROLYTISCH VERZINKT | 7210+7212 | 5'676 | 3 | 6'500 | 0 | 1'768 | 2'600 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 322 | 16'869 | 533 |
| STAHLBLECHE, SENDZIMIR-VERZINKT | 7210+7212 | 32'659 | 518 | 17'587 | 3'339 | 38'510 | 10'275 | 83 | 17 | 904 | 24 | 4 | 1 | 22 | 0 | 1'340 | 105'283 | 3'234 |
| STAHLBLECHE ÜBERZOGEN (AL) | 7210 | 54 | 0 | 112 | 22 | 33 | 22 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 6 | 254 | 29 |
| WELLBLECHE | 7210 | 28 | 0 | 7 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 50 | 390 |
| STAHLBLECHE LACKIERT, BEMALT ODER KUNSTSTOFFBESCHICHTET | 7210+7212 | 3'672 | 5'362 | 10'739 | 6'730 | 1'458 | 570 | 996 | 22 | 416 | 28 | 1'209 | 158 | 22 | 0 | 2'547 | 33'931 | 3'979 |
| BREITFLACHSTAHL (< 600 mm breit) | 7211 | 1'883 | 695 | 1'440 | 22 | 0 | 51 | 102 | 0 | 0 | 0 | 0 | 428 | 0 | 0 | 25 | 4'646 | 33'175 |
| FLACHPRODUKTE | | 185'844 | 16'229 | 94'392 | 17'173 | 78'017 | 61'487 | 1'353 | 145 | 4'352 | 2'943 | 2'580 | 1'504 | 5'240 | 19 | 9'738 | 481'016 | 52'213 |
| ARMIERUNGSSTAHL IN RINGEN, WILD AUFGEHASPELT | 7213 | 113'807 | 37'636 | 19'272 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 144 | 170'860 | 100'801 |
| WALZDRAHT | 7213 | 18'643 | 22'128 | 9'604 | 67 | 0 | 582 | 0 | 0 | 0 | 0 | 1'419 | 0 | 0 | 0 | 2 | 52'444 | 141'280 |
| STABSTAHL GESCHMIEDET | 7214 | 162 | 1 | 82 | 35 | 14 | 37 | 0 | 0 | 0 | 0 | 27 | 2 | 0 | 0 | 471 | 832 | 2 |
| ARMIERUNGSSTAHL IN STANGEN UND KALT UMGEHASPELTEN RINGEN | 7214 | 48'571 | 2'429 | 81'056 | 13 | 380 | 191 | 0 | 0 | 0 | 0 | 0 | 227 | 0 | 0 | 1'830 | 134'697 | 635 |
| FLACH-, VIERKANT- UND RUNDSTAHL | 7214 | 10'229 | 5'654 | 12'375 | 6 | 212 | 305 | 3'043 | 181 | 0 | 0 | 771 | 1'038 | 3 | 0 | 5'112 | 38'928 | 74'931 |
| STABSTAHL, KALT VERFORMT | 7215 | 5'514 | 552 | 11'193 | 1 | 26 | 45 | 208 | 110 | 26 | 0 | 287 | 175 | 2 | 0 | 267 | 18'406 | 38'117 |
| U-, COULISSEN-, DOPPELT-T-STAHL, ENGL. TRAEGER 76,4 | 7216 | 50 | 184 | 263 | 2 | 0 | 5 | 0 | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 538 | 160 |
| WINKELSTAHL < 80 mm BREITE | 7216 | 145 | 746 | 1'264 | 0 | 0 | 26 | 49 | 0 | 0 | 0 | 41 | 20 | 0 | 0 | 20 | 2'312 | 100 |
| T-STAHL < 80 mm BREITE | 7216 | 86 | 263 | 372 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 727 | 43 |
| FORMSTAHL UNP. UPE | 7216 | 6'190 | 230 | 790 | 7 | 130 | 441 | 0 | 0 | 0 | 0 | 554 | 0 | 0 | 0 | 729 | 9'070 | 39 |
| FORMSTAHL TRÄGER INP, IPE, IPER | 7216 | 5'840 | 361 | 1'455 | 0 | 4'019 | 398 | 0 | 0 | 0 | 0 | 1'528 | 1 | 0 | 0 | 1'510 | 15'113 | 1'592 |
| BREITFLANSCHTRÄGER HE | 7216 | 39'467 | 750 | 8'075 | 24 | 21'549 | 1'559 | 4 | 0 | 0 | 0 | 3'351 | 20 | 0 | 0 | 468 | 75'266 | 22'775 |
| WINKEL- + T-STAHL > 80 mm BREITE | 7216 | 247 | 717 | 2'346 | 0 | 298 | 215 | 596 | 0 | 0 | 0 | 0 | 106 | 0 | 0 | 363 | 4'888 | 2'546 |
| Z-STAHL, HANDSCHINIENSTAHL, SCHACHTRAHMENSTAHL | 7213+7214 | 583 | 24 | 102 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 | 9 | 0 | 0 | 0 | 732 | 4 |
| KALTGEROLLTE PROFILE | 7216 | 4'824 | 89 | 1'624 | 1'049 | 0 | 1'756 | 32 | 10 | 0 | 0 | 2 | 2'524 | 536 | 0 | 387 | 12'832 | 18'640 |
| ÄNDERE PROFILE | 7215+7216 | 2'738 | 1'817 | 841 | 17 | 399 | 272 | 10 | 173 | 8 | 0 | 263 | 23 | 21 | 0 | 149 | 6'733 | 1'062 |
| SPUNDWÄNDE | 7301 | 659 | 82 | 61 | 247 | 9'172 | 323 | 0 | 0 | 0 | 0 | 0 | 1'024 | 0 | 0 | 1 | 11'569 | 1'031 |
| GESCHWEISSTE PROFILE | 7301 | 145 | 31 | 55 | 1 | 2 | 2 | 6 | 18 | 0 | 4 | 24 | 17 | 0 | 0 | 84 | 389 | 2'889 |
| SCHIENEN | 7302 | 904 | 7 | 14'389 | 32 | 178 | 28'331 | 0 | 0 | 0 | 0 | 24 | 5 | 0 | 0 | 209 | 44'078 | 1'038 |
| LANGPRODUKTE | | 258'804 | 73'700 | 165'220 | 1'500 | 36'380 | 34'490 | 3'948 | 520 | 35 | 4 | 8'306 | 5'190 | 561 | 0 | 11'756 | 600'414 | 407'684 |

| | | | | | | | | | | | | | | | | | | |
|--|-----------|---------|---------|---------|--------|---------|---------|--------|-------|--------|--------|--------|--------|--------|-------|---------|-----------|-----------|
| RÖHREN, SCHWARZ, GESCHWEISST, BIS 100 mm INNEN ø | 7306 | 1'105 | 2 | 3'958 | 165 | 0 | 197 | 0 | 0 | 0 | 0 | 405 | 5 | 0 | 1 | 1'879 | 7'718 | 52'519 |
| RÖHREN, SCHWARZ, GESCHWEISST, >100mm INNEN ø | 7306 | 3'823 | 12 | 1'996 | 556 | 0 | 186 | 4 | 6 | 5 | 0 | 0 | 19 | 0 | 0 | 436 | 7'043 | 1'733 |
| RÖHREN, BESCHICHTET, GESCHWEISST, BIS 100 mm INNEN ø | 7306 | 1'728 | 28 | 7'671 | 880 | 26 | 680 | 6 | 7 | 46 | 5 | 9 | 356 | 0 | 4 | 1'194 | 12'640 | 52 |
| RÖHREN, BESCHICHTET, GESCHWEISST, >100 mm INNEN ø | 7306 | 3'075 | 33 | 2'122 | 13 | 27 | 511 | 17 | 7 | 2 | 0 | 0 | 0 | 0 | 0 | 411 | 6'217 | 17 |
| RÖHREN, SCHWARZ, NAHTLOS, BIS 100 mm INNEN ø | 7304 | 2'026 | 2 | 333 | 16 | 0 | 81 | 0 | 0 | 1 | 0 | 64 | 44 | 208 | 0 | 494 | 3'269 | 690 |
| RÖHREN, SCHWARZ, NAHTLOS, >100 mm INNEN ø | 7304 | 1'130 | 11 | 883 | 2 | 0 | 83 | 0 | 0 | 0 | 2 | 5 | 511 | 54 | 0 | 340 | 3'022 | 118 |
| RÖHREN, BESCHICHTET, NAHTLOS, BIS 100 mm INNEN ø | 7304 | 938 | 5 | 1'691 | 13 | 1 | 75 | 2 | 0 | 56 | 0 | 20 | 142 | 23 | 0 | 333 | 3'298 | 49 |
| RÖHREN, BESCHICHTET, NAHTLOS, >100 mm INNEN ø | 7304 | 264 | 0 | 1'656 | 7 | 0 | 59 | 0 | 0 | 21 | 2 | 9 | 20 | 1 | 0 | 147 | 2'186 | 37 |
| STAHLBAU, HOHLPROFILE | 7304+7306 | 5'366 | 709 | 24'154 | 382 | 4 | 3'847 | 3'812 | 11 | 18 | 146 | 45 | 64 | 2 | 0 | 877 | 39'437 | 16'703 |
| RÖHREN / HOHLPROFILE | | 19'455 | 802 | 44'463 | 2'035 | 58 | 5'718 | 3'841 | 31 | 148 | 156 | 559 | 1'161 | 289 | 5 | 6'110 | 84'830 | 71'919 |
| STAHLDRAHNETZE | 7314 | 5'283 | 749 | 8'534 | 66 | 219 | 51 | 3 | 13 | 253 | 0 | 2 | 45 | 13 | 0 | 610 | 15'843 | 10'577 |
| ROSTFREIER STAHL FLACHPRODUKTE | 7219+7220 | 15'689 | 7'207 | 10'159 | 421 | 6'388 | 504 | 105 | 25 | 2'433 | 11'975 | 1'477 | 1 | 0 | 641 | 12'796 | 69'820 | 5'280 |
| ROSTFREIER STAHL LANGPRODUKTE | 7222+7223 | 6'373 | 2'042 | 5'973 | 5 | 155 | 812 | 170 | 205 | 827 | 82 | 2'136 | 87 | 3 | 93 | 2'637 | 21'601 | 24'651 |
| ROSTFREIER STAHL RÖHREN | 7304+7306 | 4'773 | 300 | 6'917 | 66 | 6 | 1'006 | 30 | 2 | 211 | 1'125 | 203 | 12 | 1 | 13 | 1'089 | 15'753 | 41'140 |
| ANDERER LEGIERTER STAHL FLACHPRODUKTE | 7225+7226 | 81'587 | 5'642 | 2'191 | 2'644 | 6'328 | 40'579 | 7 | 0 | 2'448 | 1'017 | 11 | 420 | 3'860 | 1'083 | 13'828 | 161'645 | 7'679 |
| ANDERER LEGIERTER STAHL LANGPRODUKTE | 7227+7228 | 15'148 | 480 | 2'756 | 142 | 6 | 4'288 | 34 | 0 | 194 | 104 | 501 | 971 | 6 | 1 | 3'328 | 27'958 | 83'798 |
| ANDERER LEGIERTER STAHL RÖHREN | 7304 | 442 | 78 | 28 | 1 | 0 | 0 | 1 | 0 | 27 | 0 | 6 | 24 | 1 | 0 | 900 | 1'507 | 85 |
| DIVERSER STAHL | | 129'295 | 16'498 | 36'558 | 3'346 | 13'101 | 47'240 | 350 | 245 | 6'393 | 14'304 | 4'334 | 1'558 | 3'884 | 1'831 | 35'189 | 314'126 | 173'209 |
| ALUMINIUM (INKL. -LEGIERUNGEN) STÄBE, PROFILE | 7604 | 19'403 | 767 | 7'318 | 440 | 771 | 6'355 | 18 | 159 | 91 | 97 | 429 | 1'083 | 96 | 3 | 10'747 | 47'777 | 32'660 |
| ALUMINIUM (INKL. -LEGIERUNGEN) BLECHE, BÄNDER | 7606 | 21'885 | 22'510 | 13'614 | 815 | 2'075 | 3'051 | 158 | 62 | 47 | 30 | 8'297 | 161 | 3'283 | 2 | 59'086 | 135'075 | 211'715 |
| ALUMINIUM (INKL. -LEGIERUNGEN) FOLIEN | 7607 | 32'330 | 224 | 3'341 | 903 | 1'515 | 3'851 | 26 | 27 | 4 | 7 | 256 | 3 | 31 | 0 | 8'669 | 51'188 | 14'449 |
| ALUMINIUM (INKL. -LEGIERUNGEN) ROHRE | 7608 | 555 | 10 | 288 | 7 | 6 | 56 | 0 | 15 | 0 | 0 | 72 | 301 | 1 | 0 | 760 | 2'070 | 2'336 |
| ALUMINIUM | | 74'173 | 23'511 | 24'560 | 2'165 | 4'368 | 13'314 | 202 | 263 | 142 | 135 | 9'053 | 1'547 | 3'410 | 6 | 79'261 | 236'110 | 261'160 |
| ROHBLEI | 7801 | 206 | 4 | 59 | 0 | 785 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 465 | 1'519 | 3 |
| BLEI ALS PLATTEN, BLECHE, BÄNDER | 7804 | 460 | 0 | 1 | 0 | 0 | 0 | 26 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 489 | 4 |
| BLEI | | 666.139 | 3.992 | 59.228 | 0.019 | 785.482 | 0.044 | 25.976 | 0 | 0 | 0 | 1.734 | 0 | 0 | 0 | 465.692 | 2008.306 | 7.223 |
| GESAMTTOTAL | | 942'731 | 240'840 | 382'557 | 32'502 | 135'009 | 245'132 | 9'799 | 1'205 | 11'072 | 17'541 | 24'908 | 10'962 | 13'384 | 1'862 | 146'150 | 2'215'654 | 1'680'431 |
| ANTEIL IN PROZENT | | 43% | 11% | 17% | 1% | 6% | 11% | 0% | 0% | 0% | 1% | 1% | 0% | 1% | 0% | 7% | | |
| ROHEISEN, SCHROTT, HALBZEUG | | 274'494 | 110'096 | 17'304 | 6'283 | 2'299 | 82'884 | 79 | 1 | 2 | 0 | 74 | 1 | 0 | 0 | 3'631 | 497'149 | 714'238 |
| FLACH-, LANGPRODUKTE, RÖHREN / HOHLPROFILE, DIV. STAHL | | 593'398 | 107'229 | 340'633 | 24'054 | 127'557 | 148'934 | 9'492 | 941 | 10'927 | 17'406 | 15'778 | 9'414 | 9'974 | 1'855 | 62'792 | 1'480'386 | 705'026 |
| ALUMINIUM | | 74'173 | 23'511 | 24'560 | 2'165 | 4'368 | 13'314 | 202 | 263 | 142 | 135 | 9'053 | 1'547 | 3'410 | 6 | 79'261 | 236'110 | 261'160 |
| BLEI | | 666 | 4 | 59 | 0 | 785 | 0 | 26 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 466 | 2'008 | 7 |
| GESAMTTOTAL | | 942'731 | 240'840 | 382'557 | 32'502 | 135'009 | 245'132 | 9'799 | 1'205 | 11'072 | 17'541 | 24'908 | 10'962 | 13'384 | 1'862 | 146'150 | 2'215'654 | 1'680'431 |

IMPORTE SCHWEIZ - SIDERURGISCHE ERZEUGNISSE

| MATERIAL | ZOLL-POS. | Monat | Kumuliert IMPORT | Vorjahr | |
|---|-----------|--------|---------------------|---------|------|
| ROHEISEN | 7201 | 1'184 | 9'223 | 6'988 | 32% |
| SCHROTT | 7204 | 42'069 | 460'641 | 318'769 | 45% |
| ROHSTAHL, BLÖCKE | 7206 | 32 | 134 | 190 | -29% |
| ROHSTAHL, KNÜPPEL | 7207 | 5'155 | 27'151 | 17'970 | 51% |
| ROHEISEN, SCHROTT, HALBZEUG | | 48'440 | 497'149 | 343'916 | 45% |
| STAHLBLECHE, WARMGEW., ROLLEN, SCHWARZ (>= 600 mm) | 7208 | 1'661 | 10'127 | 7'775 | 30% |
| SPALTBAND, WARMGEW., ROLLEN, SCHWARZ (< 600 mm) | 7211 | 5'193 | 35'359 | 20'660 | 71% |
| STAHLBLECHE, WARMGEW., ROLLEN, DEK. (>= 600 mm) | 7208 | 4'070 | 45'402 | 35'685 | 27% |
| SPALTBAND, WARMGEW., ROLLEN, DEK. (< 600 mm) | 7211 | 5'191 | 34'695 | 23'545 | 47% |
| STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) Naturwalzkanten, <= 1250 mm, >= 4 mm | 7208 | 461 | 4'345 | 3'790 | 15% |
| STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) Grobbleche >= 4,75 mm | 7208 | 5'595 | 43'175 | 44'891 | -4% |
| STAHLBLECHE, WARMGEW., TAFELN, SCHWARZ (>= 600 mm) Feinbleche < 3 mm | 7208 | 99 | 755 | 1'755 | -57% |
| STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) Naturwalzkanten, <= 1250 mm, >= 4 mm | 7208 | 491 | 5'257 | 6'259 | -16% |
| STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) Grobbleche >= 4,75 mm | 7208 | 3'733 | 34'618 | 32'762 | 6% |
| STAHLBLECHE, WARMGEW., TAFELN, DEK. (>= 600 mm) Mittelbleche 3 - < 4,75 mm | 7208 | 299 | 1'391 | 2'441 | -43% |
| DIV. STAHLBLECHE IN TAFELN + ROLLEN WARMGEW. | 7208 | 332 | 3'242 | 3'019 | 7% |
| STAHLBLECHE, KALTGEW., ROLLEN, SCHWARZ (>= 600 mm) | 7209 | 4'214 | 39'580 | 31'904 | 24% |
| SPALTBAND, KALTGEWALZT, ROLLEN, SCHWARZ (< 600 mm) | 7211 | 3'647 | 38'593 | 27'925 | 38% |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) >= 3 mm dick | 7209 | 14 | 310 | 553 | -44% |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) > 1 - < 3mm dick | 7209 | 1'521 | 11'831 | 11'352 | 4% |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) >= 0,5 - <= 1 mm dick | 7209 | 367 | 2'596 | 2'003 | 30% |
| STAHLBLECHE, KALTGEW., TAFELN, SCHWARZ (>= 600 mm) < 0,5 mm dick | 7209 | 0 | 5 | 52 | -90% |
| DIVERSE STAHLBLECHE IN TAFELN + ROLLEN, KALTGEWALZT | 7209 | 152 | 1'313 | 569 | 131% |
| STAHLBLECHE, VERZINNT | 7210+7212 | 1'019 | 7'386 | 7'328 | 1% |
| STAHLBLECHE, ELEKTROLYTISCH VERZINKT | 7210+7212 | 2'103 | 16'869 | 19'528 | -14% |
| STAHLBLECHE, SENDZIMIR-VERZINKT | 7210+7212 | 13'751 | 105'283 | 83'313 | 26% |
| STAHLBLECHE ÜBERZOGEN (AL) | 7210 | 1 | 254 | 587 | -57% |
| WELLBLECHE | 7210 | 3 | 50 | 50 | -2% |
| STAHLBLECHE LACKIERT, BEMALT ODER KUNSTSTOFFBESCHICHTET | 7210+7212 | 4'269 | 33'931 | 30'791 | 10% |
| BREITFLACHSTAHL (< 600 mm breit) | 7211 | 545 | 4'646 | 3'723 | 25% |
| FLACHPRODUKTE | | 58'729 | 481'016 | 402'263 | 20% |
| ARMIERUNGSSTAHL IN RINGEN, WILD AUFGEHASPELT | 7213 | 23'071 | 170'860 | 133'534 | 28% |
| WALZDRAHT | 7213 | 6'388 | 52'444 | 47'353 | 11% |
| STABSTAHL GESCHMIEDET | 7214 | 87 | 832 | 1'262 | -34% |
| ARMIERUNGSSTAHL IN STANGEN UND KALT UMGEHASPELTEN RINGEN | 7214 | 16'368 | 134'697 | 182'968 | -26% |
| FLACH-, VIERKANT- UND RUNDSTAHL | 7214 | 4'046 | 38'928 | 32'411 | 20% |
| STABSTAHL, KALT VERFORMT | 7215 | 2'313 | 18'406 | 13'727 | 34% |
| U-, COULISSEN-, DOPPELT-T-STAHL, ENGL. TRAEGER 76,4 | 7216 | 72 | 538 | 546 | -1% |
| WINKELSTAHL < 80 mm BREITE | 7216 | 263 | 2'312 | 2'006 | 15% |
| T-STAHL < 80 mm BREITE | 7216 | 86 | 727 | 830 | -12% |
| FORMSTAHL UNP, UPE | 7216 | 1'061 | 9'070 | 8'467 | 7% |
| FORMSTAHL TRÄGER INP, IPE, IPER | 7216 | 2'270 | 15'113 | 14'083 | 7% |
| BREITFLANSCHTRÄGER HE | 7216 | 10'426 | 75'266 | 77'248 | -3% |
| WINKEL- + T-STAHL > 80 mm BREITE | 7216 | 561 | 4'888 | 5'517 | -11% |
| Z-STAHL, HANDSCHIENENSTAHL, SCHACHTRAHMENSTAHL | 7213+7214 | 223 | 732 | 323 | 127% |
| KALTGEROLLTE PROFILE | 7216 | 1'366 | 12'832 | 11'624 | 10% |
| ANDERE PROFILE | 7215+7216 | 950 | 6'733 | 7'297 | -8% |
| SPUNDWÄNDE | 7301 | 1'194 | 11'569 | 15'543 | -26% |
| GESCHWEISSTE PROFILE | 7301 | 32 | 389 | 270 | 44% |
| SCHIENEN | 7302 | 3'639 | 44'078 | 49'687 | -11% |
| LANGPRODUKTE | | 74'414 | 600'414 | 604'694 | -1% |

| Monat | Kumuliert EXPORT | Vorjahr | |
|--------|---------------------|---------|---------|
| 2 | 56 | 9 | 540% |
| 60'905 | 622'187 | 569'683 | 9% |
| 0 | 3 | 2 | 14% |
| 16'012 | 91'993 | 40'948 | 125% |
| 76'919 | 714'238 | 610'642 | 17% |
| 0 | 92 | 1 | 11171% |
| 4 | 54 | 62 | -13% |
| 49 | 475 | 253 | 88% |
| 11 | 996 | 344 | 189% |
| 6 | 167 | 185 | -10% |
| 31 | 546 | 519 | 5% |
| 1 | 20 | 67 | -71% |
| 11 | 193 | 165 | 17% |
| 340 | 3'400 | 1'973 | 72% |
| 0 | 113 | 19 | 497% |
| 62 | 464 | 354 | 31% |
| 2 | 178 | 134 | 33% |
| 402 | 2'874 | 1'971 | 46% |
| 0 | 20 | 7 | 182% |
| 48 | 947 | 366 | 158% |
| 16 | 126 | 69 | 82% |
| 0 | 0 | 0 | 41% |
| 2 | 15 | 51 | -70% |
| 2 | 191 | 488 | -61% |
| 80 | 533 | 116 | 359% |
| 188 | 3'234 | 1'342 | 141% |
| 4 | 29 | 16 | 85% |
| 0 | 390 | 0 | #DIV/0! |
| 459 | 3'979 | 3'072 | 30% |
| 4'217 | 33'175 | 38'319 | -13% |
| 5'937 | 52'213 | 49'893 | 5% |
| 7'949 | 100'801 | 57'754 | 75% |
| 15'166 | 141'280 | 81'782 | 73% |
| 1 | 2 | 2 | -7% |
| 47 | 635 | 388 | 64% |
| 5'277 | 74'931 | 59'072 | 27% |
| 3'751 | 38'117 | 26'182 | 46% |
| 7 | 160 | 93 | 73% |
| 1 | 100 | 86 | 15% |
| 1 | 43 | 10 | 345% |
| 4 | 39 | 137 | -72% |
| 174 | 1'592 | 10 | 15504% |
| 967 | 22'775 | 16'011 | 42% |
| 27 | 2'546 | 2'794 | -9% |
| 0 | 4 | 2 | 98% |
| 2'815 | 18'640 | 16'557 | 13% |
| 61 | 1'062 | 1'292 | -18% |
| 97 | 1'031 | 905 | 14% |
| 240 | 2'889 | 2'487 | 16% |
| 82 | 1'038 | 4'406 | -76% |
| 36'669 | 407'684 | 269'971 | 51% |

| | | | | | |
|--|-----------|---------|-----------|-----------|------|
| RÖHREN, SCHWARZ, GESCHWEISST, BIS 100 mm INNEN ø | 7306 | 804 | 7'718 | 6'693 | 15% |
| RÖHREN, SCHWARZ, GESCHWEISST, >100mm INNEN ø | 7306 | 600 | 7'043 | 8'201 | -14% |
| RÖHREN, BESCHICHTET, GESCHWEISST, BIS 100 mm INNEN ø | 7306 | 1'502 | 12'640 | 11'815 | 7% |
| RÖHREN, BESCHICHTET, GESCHWEISST, >100 mm INNEN ø | 7306 | 749 | 6'217 | 6'285 | -1% |
| RÖHREN, SCHWARZ, NAHTLOS, BIS 100 mm INNEN ø | 7304 | 401 | 3'269 | 2'600 | 26% |
| RÖHREN, SCHWARZ, NAHTLOS, >100 mm INNEN ø | 7304 | 337 | 3'022 | 2'142 | 41% |
| RÖHREN, BESCHICHTET, NAHTLOS, BIS 100 mm INNEN ø | 7304 | 472 | 3'298 | 2'790 | 18% |
| RÖHREN, BESCHICHTET, NAHTLOS, >100 mm INNEN ø | 7304 | 212 | 2'186 | 917 | 138% |
| STAHLBAU, HOHLPROFILE | 7304+7306 | 4'233 | 39'437 | 36'287 | 9% |
| RÖHREN / HOHLPROFILE | | 9'310 | 84'830 | 77'730 | 9% |
| STAHLDRAHNETZE | 7314 | 1'859 | 15'843 | 14'726 | 8% |
| ROSTFREIER STAHL FLACHPRODUKTE | 7219+7220 | 7'910 | 69'820 | 64'963 | 7% |
| ROSTFREIER STAHL LANGPRODUKTE | 7222+7223 | 2'641 | 21'601 | 18'919 | 14% |
| ROSTFREIER STAHL RÖHREN | 7304+7306 | 1'780 | 15'753 | 15'196 | 4% |
| ANDERER LEGIERTER STAHL FLACHPRODUKTE | 7225+7226 | 15'073 | 161'645 | 142'083 | 14% |
| ANDERER LEGIERTER STAHL LANGPRODUKTE | 7227+7228 | 2'910 | 27'958 | 23'930 | 17% |
| ANDERER LEGIERTER STAHL RÖHREN | 7304 | 337 | 1'507 | 1'575 | -4% |
| DIVERSER STAHL | | 32'510 | 314'126 | 281'394 | 12% |
| ALUMINIUM (INKL. -LEGIERUNGEN) STÄBE, PROFILE | 7604 | 5'685 | 47'777 | 43'870 | 9% |
| ALUMINIUM (INKL. -LEGIERUNGEN) BLECHE, BÄNDER | 7606 | 15'865 | 135'075 | 128'655 | 5% |
| ALUMINIUM (INKL. -LEGIERUNGEN) FOLIEN | 7607 | 6'237 | 51'188 | 49'487 | 3% |
| ALUMINIUM (INKL. -LEGIERUNGEN) ROHRE | 7608 | 241 | 2'070 | 2'162 | -4% |
| ALUMINIUM | | 28'028 | 236'110 | 224'174 | 5% |
| ROHBLEI | 7801 | 185 | 1'519 | 1'927 | -21% |
| BLEI ALS PLATTEN, BLECHE, BÄNDER | 7804 | 39 | 489 | 466 | 5% |
| BLEI | | 224.095 | 2008.306 | 2393.143 | -16% |
| GESAMTTOTAL | | 251'656 | 2'215'654 | 1'936'564 | 14% |

| | | | | | |
|--|--|---------|-----------|-----------|------|
| ROHEISEN, SCHROTT, HALBZEUG | | 48'440 | 497'149 | 343'916 | 45% |
| FLACH-, LANGPRODUKTE, RÖHREN / HOHLPROFILE, DIV. STAHL | | 174'963 | 1'480'386 | 1'366'081 | 8% |
| ALUMINIUM | | 28'028 | 236'110 | 224'174 | 5% |
| BLEI | | 224 | 2'008 | 2'393 | -16% |
| GESAMTTOTAL | | 251'656 | 2'215'654 | 1'936'564 | 14% |

| | | | | |
|--|---------|-----------|-----------|------|
| | 5'997 | 52'519 | 38'645 | 36% |
| | 205 | 1'733 | 923 | 88% |
| | 15 | 52 | 91 | -43% |
| | 4 | 17 | 25 | -31% |
| | 32 | 690 | 453 | 52% |
| | 15 | 118 | 156 | -24% |
| | 6 | 49 | 80 | -39% |
| | 2 | 37 | 30 | 23% |
| | 2'044 | 16'703 | 14'736 | 13% |
| | 8'319 | 71'919 | 55'139 | 30% |
| | 510 | 10'577 | 5'624 | 88% |
| | 528 | 5'280 | 4'589 | 15% |
| | 3'183 | 24'651 | 16'657 | 48% |
| | 3'109 | 41'140 | 37'035 | 11% |
| | 845 | 7'679 | 7'975 | -4% |
| | 6'163 | 83'798 | 60'815 | 38% |
| | 8 | 85 | 42 | 100% |
| | 14'346 | 173'209 | 132'737 | 30% |
| | 3'494 | 32'660 | 28'858 | 13% |
| | 17'127 | 211'715 | 164'116 | 29% |
| | 1'728 | 14'449 | 17'414 | -17% |
| | 267 | 2'336 | 2'024 | 15% |
| | 22'615 | 261'160 | 212'411 | 23% |
| | 0 | 3 | 29 | -90% |
| | 4 | 4 | 0 | 931% |
| | 4.032 | 7.223 | 29.88 | -76% |
| | 164'810 | 1'680'431 | 1'330'823 | 26% |

| | | | | |
|--|---------|-----------|-----------|------|
| | 76'919 | 714'238 | 610'642 | 17% |
| | 65'272 | 705'026 | 507'739 | 39% |
| | 22'615 | 261'160 | 212'411 | 23% |
| | 4 | 7 | 30 | -76% |
| | 164'810 | 1'680'431 | 1'330'823 | 26% |